

Journal of Hydrology (NZ) 5 Year Index Volumes 36 – 40

Table of Contents

Introduction

Explanation of Entries

Author Index

Subject Index

Hydrological Subject Index

Geographic Location Index

Affiliated Articles Index

Introduction

This index covers the past five years (1997-2001) of publication of the Journal of Hydrology (NZ). It includes both research papers and minor contributions (i.e., editorials, book reviews, abstracts, notes, and reports). It is hoped that the index will be a useful reference for the *Journal's* readers.

To cater for the considerable range of demands placed on an index by researchers this *Index* has been compiled as two different sections: an *Author Index* and a *Subject Index*. This format is the same as used in the previous 30-year *Index* published in 1992 and 5-year *Index* published in 1997. However, only those subjects relevant to papers published during the last five years have been included.

The *Subject Index* is divided into three sub-indices. The *Hydrological Subject Index* lists articles based on technical subject matter; the *Geographic Location Index* lists articles by geographic region (New Zealand entries are listed on a regional basis where applicable while works relating to international locations can be found under either their continent or country); and the *Affiliated Articles Index* lists minor contributions by entry type.

This bibliographic database, together with the entire 40-year publication record of the Journal, is also available in digital form. It is stored in "Endnote" but can be output to a wide range of other bibliographic database formats. Persons wishing to obtain a copy of the digital database (either the past five years or the entire 40 years) should contact:

Dr J.A. McConchie

School of Earth Sciences

Victoria University of Wellington

P.O. Box 600, Wellington, New Zealand

Email: Jack.McConchie@vuw.ac.nz

Explanation of Entries

Author Index

The full bibliographic reference to a contributed work is listed under the first named author. Second authors are also listed, but only with a 'see' reference under their name referring back to the "first named author". For example, the entries for the paper entitled "*Erosion and sediment transport from the market gardening lands at Pukekohe, Auckland, New Zealand*", by L.R. Basher, D.M. Hicks, B. Handyside and C.W. Ross which appears on pages 73-95 of Volume 36, Number 1, 1997 are:

Basher, L.R.

with **Hicks, D.M., Handyside, B. and Ross, C.W.**

– Erosion and sediment transport from the market gardening lands at Pukekohe, Auckland, New Zealand, 36(1): 73-95, 1997.

Handyside, B.

see **Basher, L.R.**

Hicks, D.M.

see **Basher, L.R.**

Ross, C.W.

see **Basher, L.R.**

Subject Index

Here contributed works may be found under category headings appropriate for the technical content included, the geographical location of the study, and for affiliated articles by the type of entry. Throughout the *Subject Index* entries are listed alphabetically according to the surname of the "first named author". A particular article can appear in a number of sub-indices depending on its content and regional focus.

Author Index

Bardsley, W.E.

see **Tomer, M.D.**

Basher, L.R.

with **Hicks, D.M., Handyside, B. and Ross, C.W.**

– Erosion and sediment transport from the market gardening lands at Pukekohe, Auckland, New Zealand, 36(1): 73-95, 1997.

Beffa, C.

see **Connell, R.J.**

Bekesi, G.

and **McConchie, J.A.**

– Mapping soil sorption capacity as a measure of regional groundwater vulnerability, 39(1): 1-18, 2000.

see **McLarin, W.**

Brown, L.

see **McLarin, W.**

Carson, M.A.

see **Griffiths, G.A.**

Caruso, B.S.

– Evaluation of low-flow frequency analysis methods, 39(1): 19-47, 2000.

and **Jensen, E.**

– Effects of landslides on contaminant sources and transport in steep pastoral hill country, 39(2): 127-154, 2000.

Chinn, T.J.

– Distribution of the glacial water resources of New Zealand, 40(2): 139-187, 2001.

Connell, R.J.

with **Beffa, C. and Painter, D.J.**

– Comparison of observations by flood plain residents with results from a two-dimensional flood plain model: Waihao River, New Zealand, 37(2): 55-79, 1998.

with **Beffa, C. and Painter, D.J.**

– Errata: Comparison of observed field data obtained from Waihao River flood plain residents with two-dimensional hydraulic model results (37(2): 55-79), 38(1): 173, 1999.

and **Pearson, C.P.**

– Two-component extreme value distribution applied to Canterbury annual maximum flood peaks, 40(2): 105-127, 2001.

Davies, T.R.

– Long-term management of facilities on an active alluvial fan - Waiho River fan, Westland, New Zealand, 36(2): 127-145, 1997.

and **Scott, B.K.**

– Dambreak flood hazard from the Callery River, Westland, New Zealand, 36(1): 1-13, 1997.

see **Islam, N.**

Doscher, C.

see **Islam, N.**

Duncan, M.J.

see **Henderson, R.D.**

Ekanayake, J.C.

and **Phillips, J.C.**

– A model for determining thresholds for initiation of shallow landslides under near-saturated conditions in the East Coast region, New Zealand, 38(1): 1-28, 1999.

Erbe, M.W.

see **Richey, D.G.**

Evans, C.M.

see **Taylor, C.B.**

Fahey, B.D.

and **Jackson, R.J.**

– Environmental effects of forestry at Big Bush Forest, South Island, New Zealand: 1 Changes in water chemistry, 36(1): 43-71, 1997.

and **Marden, M.**

– Sediment yields from a forested and a pasture catchment, coastal Hawke's Bay, North Island, New Zealand, 39(1): 49-63, 2000.

with **Watson, A. and Payne, J.**

– Water loss from plantations of Douglas-fir and radiata pine on the Canterbury Plains, South Island, New Zealand, 40(1): 77-96, 2001.

Fenemor, A.

– Book Review: The blue revolution (by I. Calder), 40(2): 219-221, 2001.

Fenton, J.A.

see **Tomer, M.D.**

Fitzharris, B.

– Book Review: Interactions between the cryosphere, climate and greenhouse gases (M. Tranter, R. Armstrong, E. Brun, G. Jones, M. Sharp and M. Williams, eds.), 40(1): 97-98, 2001.

Goring, D.G.

see **Hill, J.T.**

Green, S.R.

see **Scotter, D.R.**

Griffiths, G.A.

and **Carson, M.A.**

– Channel width for maximum bedload transport capacity in gravel-bed rivers, South Island, New Zealand, 39(2): 107-126, 2000.

Gu, R.

– A simplified river temperature model and its application to streamflow management, 37(1): 35-54, 1998.

Handyside, B.

see **Basher, L.R.**

Hawke, R.M.

and **McConchie, J.A.**

– Bedload transport in a meltwater stream, Miers Valley, Antarctica: controls and prediction, 40(1): 1-18, 2001.

with **Watts, L.F. and McConchie, J.A.**

– Efficient and effective irrigation in the Wairarapa: results from field monitoring, 40(1): 19-42, 2001.

Henderson, R.D.

with **Ibbitt, R.P. and Duncan, M.J.**

– Cropp River: data to test concepts of channel network and river basin heterogeneity - data note, 38(2): 331-339, 1999.

- and* **Thompson, S.M.**
 – Extreme rainfalls in the Southern Alps of New Zealand, 38(2): 309-330, 1999.
- see* **Pearson, C.P.**
- Herrmann, R.**
 – Book Review: Impact of urban growth on surface water and groundwater quality (B. Ellis, ed.), 39(2): 169-170, 2000.
 – Chemical and biotic processes affecting the fate and transport of trace organic contaminants in municipal landfills: a discussion, 40(1): 43-57, 2001.
- Hicks, D.M.**
 – A regionally applicable suspended sediment rating for the schist terrain in Otago, 38(1): 77-96, 1999.
- see* **Basher, L.R.**
- Hill, J.T.**
and **Goring, D.G.**
 – Smoothing hydrological data: a neural network approach, 37(2): 81-94, 1998.
- and* **Goring, D.G.**
 – Errata: Smoothing hydrological data: a neural network approach (37(2): 81-94), 38(1): 175, 1999.
- Horne, D.J.**
see **Scotter, D.R.**
- Hurd, T.M.**
see **Richey, D.G.**
- Ibbitt, R.P.**
see **Henderson, R.D.**
- Islam, N.**
with **Doscher, C. and Davies, T.R.**
 – Estimating missing daily maximum and minimum temperatures for Mount Cook, South Island, New Zealand using a statistical model and 'aiNet' neural network models, 39(2): 83-106, 2000.
- Jackson, R.J.**
see **Fahey, B.D.**
- Jensen, E.**
see **Caruso, B.S.**
- Jowitt, P.W.**
 – A conceptual systems model of rainfall-runoff on the Haast River, 38(1): 121-144, 1999.
 – Errata: A conceptual systems model of rainfall-runoff on the Haast River (38(1): 121-144), 38(2): 345, 1999.
- Kerr, G.N.**
see **White, P.A.**
- Knowles, S.F.**
see **Tomer, M.D.**

- Kompani-Zare, M.**
and **Moore, F.**
 – Chemical thermometry and origin of the Dalaki mineral springs, Bushehr Province, Iran, 40(2) 189-204, 2001.
- Lilburne, L.R.**
see **Webb, T.H.**
- Lynn, I.H.**
 – Book Review: Floodplains: Interdisciplinary approaches (S.B. Marriott and J. Alexander, eds.), 40(1): 101-103, 2001.
see **Page, M.J.**
- Macky, G.H.**
see **McKerchar, A.I.**
- Maggs, G.R.**
 – Hydrology of the Kopouatai peat dome, 36(2): 147-172, 1997.
- Marden, M.**
see **Fahey, B.D.**
see **Rowe, L.K.**
- McBride, M.**
 – Book Review: Impact of land-use change on nutrient loads from diffuse sources (L. Heathwaite, ed.), 40(1): 98-100, 2001.
- McConchie, J.A.**
see **Bekesi, G.**
see **Hawke R.M.**
see **McLarin, W.**
see **Vidovich, M.M.**
- McDonnell, J.J.**
 – Discussion - comment on "The changing spatial variability of subsurface flow across a hillside" by Ross Woods and Lindsay Rowe, 36(1): 97-100, 1997.
see **Richey, D.G.**
- McKerchar, A.I.**
and **Macky, G.H.**
 – Comparison of a regional method for estimating design floods with two rainfall-based methods, 40(2): 129-138, 2001.
and **Pearson, C.P.**
 – Quality of long flow records for New Zealand rivers, 36(1): 15-41, 1997.
- McLarin, W.**
with **Bekesi, G., Brown, L. and McConchie, J.A.**
 – Nitrate contamination of the unconfined aquifer, Manakau, Horowhenua, New Zealand, 38(2): 211-235, 1999.
- Merz, J.**
and **Mosley, M.P.**
 – Hydrological behaviour of pastoral hill country modified by extensive landsliding, northern Hawke's Bay, New Zealand, 37(2): 113-139, 1998.

- Moore, F.**
see **Kompani-Zare, M.**
- Mosley, M.P.**
 – The data note: A new vehicle, 38(2): 177-178, 1999.
 – Book Review: Water: A reflection of land use. Options for counteracting land and water mismanagement (M. Falkenmark, L. Andersson, R. Costensson and K. Sunblad, eds.), 39(2): 167-168, 2000.
see **Merz, J.**
- Nadarajah, S.**
see **Withers, C.S.**
- Oliver, G.R.**
see **Tomer, M.D.**
- Page, M.J.**
with **Reid, L.M. and Lynn, I.H.**
 – Sediment production from Cyclone Bola landslides, Waipaoa catchment, 38(2): 289-308, 1999.
- Painter, D.J.**
see **Connell, R.J.**
- Payne, J.**
see **Fahey, B.D.**
- Pearson, C.P.**
 – Changes to New Zealand's national hydrometric network in the 1990s, 37(1): 1-17, 1998.
and **Henderson, R.D.**
 – Frequency distributions of annual maximum storm rainfalls in New Zealand, 37(1): 19-33, 1998.
see **McKerchar, A.I.**
- Phillips, J.C.**
see **Ekanayake, J.C.**
- Reeves, R.R.**
see **White, P.A.**
- Reid, L.M.**
see **Page, M.J.**
- Richey, D.G.**
with **McDonnell, J.J., Erbe, M.W. and Hurd, T.M.**
 – Hydrograph separations based on chemical and isotopic concentrations: a critical appraisal of published studies from New Zealand, North America, and Europe, 37(2): 95-111, 1998.
- Rosen, M.R.**
 – The importance of long-term, seasonal monitoring of groundwater wells in the New Zealand National Groundwater Monitoring Programme (NGMP), 38(1): 145-169, 1999.
 – Book Review: Monitoring for groundwater management in (semi-)arid regions (Henny A.J. van Lanen, ed.), 38(1): 171-172, 1999.

Ross, C.W.

see **Basher, L.R.**

Rouse, H.L.

– Book Review: Gravel-bed rivers in the environment (P.C. Klingeman, R.L. Beschta, P.D. Komar and J.B. Bradley, eds.), 38(2): 341, 1999.

Rowan, D.

see **Rowe, L.K.**

Rowe, L.K.

with **Marden, M. and Rowan, D.**

– Interception and throughfall in a regenerating stand of kanuka (*Kunzea ericoides* var. *ericoides*) East Coast region, North Island, New Zealand, and implications for soil conservation, 38(1): 29-48, 1999.

see **Woods, R.A.**

Schiess, S.

see **Vidovich, M.M.**

Scott, B.K.

see **Davies, T.R.**

Scott, D.M.

see **Thorpe, H.R.**

Scotter, D.R.

with **Horne, D.J. and Green, S.R.**

– A procedure for generating daily rainfall and evaporation data: an evaluation and some applications, 39(1): 65-82, 2000.

Sharp, B.M.H.

see **White, P.A.**

Shvidchenko, A.B.

– Field study of sediment transport in a piedmont reach of the Laba River, 36(2): 173-181, 1997.

Taylor, C.B.

and **Evans, C.M.**

– Isotopic indicators for groundwater hydrology in Taranaki, New Zealand, 38(2): 237-270, 1999.

Thompson, S.M.

see **Henderson, R.D.**

Thorpe, H.R.

and **Scott, D.M.**

– An evaluation of four soil moisture models for estimating natural ground water recharge, 38(2): 179-209, 1999.

Tomer, M.D.

with **Knowles, S.F., Fenton, J.A., Bardsley, W.E. and Oliver, G.R.**

– Soil water, ground water, and wetland seepage within an effluent-irrigated hillslope, 38(1): 97-120, 1999.

Vidovich, M.M.

with **McConchie, J.A. and Schiess, S.**

- The effectiveness of natural attenuation to remediate BTEX contamination in unconfined sand/gravel aquifers: An investigation of two sites, 40(2): 205-217, 2001.

Watson, A.

- Book Review: Interdisciplinary perspectives on drinking water risk assessment and management (E.G. Reichard, F.S. Hauchman and A.M. Sancha, eds.), 40(1): 100-101, 2001.

see **Fahey, B.D.**

Watts, L.F.

see **Hawke, R.M.**

Webb, T.H.

and **Lilburne, L.R.**

- Use of the LEACHM model and the DRASTIC index to map relative risk of groundwater contamination by pesticide leaching, 38(2): 271-288, 1999.

White, P.A.

and **Reeves, R.R.**

- Waimea Plains aquifer structure as determined by three-dimensional computer modelling, 38(1): 49-75, 1999.

with **Sharp, B.M.H. and Kerr, G.N.**

- Economic valuation of the Waimea Plains groundwater system, 40(1): 59-76, 2001.

Withers, C.S.

and **Nadarajah, S.**

- Evidence of trend in return levels for daily rainfall in New Zealand, 39(2): 155-166, 2000.

Woods, R.A.

and **Rowe, L.K.**

- Reply to comment - McDonnell, 36(1): 101-103, 1997.

Subject Index

Hydrological Subject Index

Basins and Catchments

Connell, R.J. and Pearson, C.P. Two-component extreme value distribution applied to Canterbury annual maximum flood peaks, 40(2): 105-127, 2001.

Davies, T.R. Long-term management of facilities on an active alluvial fan - Waiho River fan, Westland, New Zealand, 36(2): 127-145, 1997.

Fahey, B.D. and Marden, M. Sediment yields from a forested and a pasture catchment, coastal Hawke's Bay, North Island, New Zealand, 39(1): 49-63, 2000.

- Henderson, R.D., Ibbitt, R.P. and Duncan, M.J.** Cropp River: data to test concepts of channel network and river basin heterogeneity - data note, 38(2): 331-339, 1999.
- Henderson, R.D. and Thompson, S.M.** Extreme rainfalls in the Southern Alps of New Zealand, 38(2): 309-330, 1999.
- Herrmann, R.** Book Review: Impact of urban growth on surface water and groundwater quality (B. Ellis, ed.), 39(2): 169-170, 2000.
- Lynn, I.** Book Review: Floodplains: Interdisciplinary approaches (S.B. Marriott and J. Alexander, eds.), 40(1): 101-103, 2001.
- Merz, J. and Mosley, M.P.** Hydrological behaviour of pastoral hill country modified by extensive landsliding, northern Hawke's Bay, New Zealand, 37(2): 113-139, 1998.
- Pearson, C.P.** Changes to New Zealand's national hydrometric network in the 1990s, 37(1): 1-17, 1998.
- Richey, D.G., McDonnell, J.J., Erbe, M.W. and Hurd, T.M.** Hydrograph separations based on chemical and isotopic concentrations: a critical appraisal of published studies from New Zealand, North America, and Europe, 37(2): 95-111, 1998.

Chemistry

- Caruso, B.S. and Jensen, E.** Effects of landslides on contaminant sources and transport in steep pastoral hill country, 39(2): 127-154, 2000.
- Fahey, B.D. and Jackson, R.J.** Environmental effects of forestry at Big Bush Forest, South Island, New Zealand: 1 Changes in water chemistry, 36(1): 43-71, 1997.
- Herrmann, R.** Chemical and biotic processes affecting the fate and transport of trace organic contaminants in municipal landfills: a discussion, 40(1): 43-57, 2001.
- Kompani-Zare, M. and Moore, F.** Chemical thermometry and origin of the Dalaki mineral springs, Bushehr Province, Iran, 40(2): 189-204, 2001.
- McLarin, W., Bekesi, G., Brown, L. and McConchie, J.A.** Nitrate contamination of the unconfined aquifer, Manakau, Horowhenua, New Zealand, 38(2): 211-235, 1999.
- Richey, D.G., McDonnell, J.J., Erbe, M.W. and Hurd, T.M.** Hydrograph separations based on chemical and isotopic concentrations: a critical appraisal of published studies from New Zealand, North America, and Europe, 37(2): 95-111, 1998.
- Taylor, C.B. and Evans, C.M.** Isotopic indicators for groundwater hydrology in Taranaki, New Zealand, 38(2): 237-270, 1999.
- Vidovich, M.M., McConchie, J.A. and Schiess, S.** The effectiveness of natural attenuation to remediate BTEX contamination in unconfined sand/gravel aquifers: An investigation of two sites, 40(2): 205-217, 2001.

Watson, A. Book Review: Interdisciplinary perspectives on drinking water risk assessment and management (E.G. Reichard, F.S. Hauchman and A.M. Sancha, eds.), 40(1): 100-101, 2001.

Climatological/Hydrological Data Records

Chinn, T.J. Distribution of the glacial water resources of New Zealand, 40(2): 139-187, 2001.

Hill, J.T. and Goring, D.G. Smoothing hydrological data: a neural network approach, 37(2): 81-94, 1998.

Islam, N., Doscher, C. and Davies, T.R. Estimating missing daily maximum and minimum temperatures for Mount Cook, South Island, New Zealand using a statistical model and 'aiNet' neural network models, 39(2): 83-106, 2000.

McKerchar, A.I. and Pearson, C.P. Quality of long flow records for New Zealand rivers, 36(1): 15-41, 1997.

McKerchar, A.I. and Macky, G.H. Comparison of a regional method for estimating design floods with two rainfall-based methods, 40(2): 129-138, 2001.

Pearson, C.P. Changes to New Zealand's national hydrometric network in the 1990s, 37(1): 1-17, 1998.

Rosen, M.R. The importance of long-term, seasonal monitoring of groundwater wells in the New Zealand National Groundwater Monitoring Programme (NGMP), 38(1): 145-169, 1999.

Erosion and Sedimentation

Basher, L.R., Hicks, D.M., Handyside, B. and Ross, C.W. Erosion and sediment transport from the market gardening lands at Pukekohe, Auckland, New Zealand, 36(1): 73-95, 1997.

Caruso, B.S. and Jensen, E. Effects of landslides on contaminant sources and transport in steep pastoral hill country, 39(2): 127-154, 2000.

Davies, T.R. Long-term management of facilities on an active alluvial fan - Waiho River fan, Westland, New Zealand, 36(2): 127-145, 1997.

Davies, T.R. and Scott, B.K. Dambreak flood hazard from the Callery River, Westland, New Zealand, 36(1): 1-13, 1997.

Ekanayake, J.C. and Phillips, J.C. A model for determining thresholds for initiation of shallow landslides under near-saturated conditions in the East Coast region, New Zealand, 38(1): 1-28, 1999.

Merz, J. and Mosley, M.P. Hydrological behaviour of pastoral hill country modified by extensive landsliding, northern Hawke's Bay, New Zealand, 37(2): 113-139, 1998.

Page, M.J., Reid, L.M. and Lynn, I.H. Sediment production from Cyclone Bola landslides, Waipaoa catchment, 38(2): 289-308, 1999.

Floods

- Connell, R.J., Beffa, C. and Painter, D.J.** Comparison of observations by flood plain residents with results from a two-dimensional flood plain model: Waihao River, New Zealand, 37(2): 55-79, 1998.
- Connell, R.J. and Pearson, C.P.** Two-component extreme value distribution applied to Canterbury annual maximum flood peaks, 40(2): 105-127, 2001.
- Davies, T.R.** Long-term management of facilities on an active alluvial fan - Waiho River fan, Westland, New Zealand, 36(2): 127-145, 1997.
- Davies, T.R. and Scott, B.K.** Dambreak flood hazard from the Callery River, Westland, New Zealand, 36(1): 1-13, 1997.
- McKerchar, A.I. and Macky, G.H.** Comparison of a regional method for estimating design floods with two rainfall-based methods, 40(2): 129-138, 2001.

Glaciology

- Chinn, T.J.** Distribution of the glacial water resources of New Zealand, 40(2): 139-187, 2001.

Groundwater

- Bekesi, G. and McConchie, J.A.** Mapping soil sorption capacity as a measure of regional groundwater vulnerability, 39(1): 1-18, 2000.
- Kompani-Zare, M. and Moore, F.** Chemical thermometry and origin of the Dalaki mineral springs, Bushehr Province, Iran, 40(2): 189-204, 2001.
- Maggs, G.R.** Hydrology of the Kopouatai peat dome, 36(2): 147-172, 1997.
- McLarin, W., Bekesi, G., Brown, L. and McConchie, J.A.** Nitrate contamination of the unconfined aquifer, Manakau, Horowhenua, New Zealand, 38(2): 211-235, 1999.
- Rosen, M.R.** The importance of long-term, seasonal monitoring of groundwater wells in the New Zealand National Groundwater Monitoring Programme (NGMP), 38(1): 145-169, 1999.
- Taylor, C.B. and Evans, C.M.** Isotopic indicators for groundwater hydrology in Taranaki, New Zealand, 38(2): 237-270, 1999.
- Thorpe, H.R. and Scott, D.M.** An evaluation of four soil moisture models for estimating natural ground water recharge, 38(2): 179-209, 1999.
- Tomer, M.D., Knowles, S.F., Fenton, J.A., Bardsley, W.E. and Oliver, G.R.** Soil water, ground water, and wetland seepage within an effluent-irrigated hillslope, 38(1): 97-120, 1999.
- Vidovich, M.M., McConchie, J.A. and Schiess, S.** The effectiveness of natural attenuation to remediate BTEX contamination in unconfined sand/gravel aquifers: An investigation of two sites, 40(2): 205-217, 2001.

- Webb, T.H. and Lilburne, L.R.** Use of the LEACHM model and the DRASTIC index to map relative risk of groundwater contamination by pesticide leaching, 38(2): 271-288, 1999.
- White, P.A. and Reeves, R.R.** Waimea Plains aquifer structure as determined by three-dimensional computer modelling, 38(1): 49-75, 1999.
- White, P.A., Sharp, B.M.H. and Kerr, G.N.** Economic valuation of the Waimea Plains groundwater system, 40(1): 59-76, 2001.

Instrumentation and Measurement Techniques

- Henderson, R.D., Ibbitt, R.P. and Duncan, M.J.** Cropp River: data to test concepts of channel network and river basin heterogeneity - data note, 38(2): 331-339, 1999.

Interception

- Fahey, B.D., Watson, A. and Payne, J.** Water loss from plantations of Douglas-fir and radiata pine on the Canterbury Plains, South Island, New Zealand, 40(1): 77-96, 2001.
- Rowe, L.K., Marden, M. and Rowan, D.** Interception and throughfall in a regenerating stand of kanuka (*Kunzea ericoides* var. *ericoides*) East Coast region, North Island, New Zealand, and implications for soil conservation, 38(1): 29-48, 1999.

Irrigation

- Hawke, R.M., Watts, L.F. and McConchie, J.A.** Efficient and effective irrigation in the Wairarapa: results from field monitoring, 40(1): 19-42, 2001.
- Tomer, M.D., Knowles, S.F., Fenton, J.A., Bardsley, W.E. and Oliver, G.R.** Soil water, ground water, and wetland seepage within an effluent-irrigated hillslope, 38(1): 97-120, 1999.
- White, P.A., Sharp, B.M.H. and Kerr, G.N.** Economic valuation of the Waimea Plains groundwater system, 40(1): 59-76, 2001.

Land Use

- Basher, L.R., Hicks, D.M., Handyside, B. and Ross, C.W.** Erosion and sediment transport from the market gardening lands at Pukekohe, Auckland, New Zealand, 36(1): 73-95, 1997.
- Fahey, B.D. and Marden, M.** Sediment yields from a forested and a pasture catchment, coastal Hawke's Bay, North Island, New Zealand, 39(1): 49-63, 2000.
- Herrmann, R.** Chemical and biotic processes affecting the fate and transport of trace organic contaminants in municipal landfills: a discussion, 40(1): 43-57, 2001.
- McBride, M.** Book Review: Impact of land-use change on nutrient loads from diffuse sources (L. Heathwaite, ed.), 40(1): 98-100, 2001.

Page, M.J., Reid, L.M. and Lynn, I.H. Sediment production from Cyclone Bola landslides, Waipaoa catchment, 38(2): 289-308, 1999.

Meteorology

Fitzharris, B. Book Review: Interactions between the cryosphere, climate and greenhouse gases (M. Tranter, R. Armstrong, E. Brun, G. Jones, M. Sharp and M. Williams, eds.), 40(1): 97-98, 2001.

Modelling

Bekesi, G. and McConchie, J.A. Mapping soil sorption capacity as a measure of regional groundwater vulnerability, 39(1): 1-18, 2000.

Caruso, B.S. Evaluation of low-flow frequency analysis methods, 39(1): 19-47, 2000.

Connell, R.J., Beffa, C. and Painter, D.J. Comparison of observations by flood plain residents with results from a two-dimensional flood plain model: Waihao River, New Zealand, 37(2): 55-79, 1998.

Connell, R.J. and Pearson, C.P. Two-component extreme value distribution applied to Canterbury annual maximum flood peaks, 40(2): 105-127, 2001.

Ekanayake, J.C. and Phillips, J.C. A model for determining thresholds for initiation of shallow landslides under near-saturated conditions in the East Coast region, New Zealand, 38(1): 1-28, 1999.

Griffiths, G.A. and Carson, M.A. Channel width for maximum bedload transport capacity in gravel-bed rivers, South Island, New Zealand, 39(2): 107-126, 2000.

Gu, R. A simplified river temperature model and its application to streamflow management, 37(1): 35-54, 1998.

Henderson, R.D. and Thompson, S.M. Extreme rainfalls in the Southern Alps of New Zealand, 38(2): 309-330, 1999.

Hicks, D.M. A regionally applicable suspended sediment rating for the schist terrain in Otago, 38(1): 77-96, 1999.

Hill, J.T. and Goring, D.G. Smoothing hydrological data: a neural network approach, 37(2): 81-94, 1998.

Islam, N., Doscher, C. and Davies, T.R. Estimating missing daily maximum and minimum temperatures for Mount Cook, South Island, New Zealand using a statistical model and 'aiNet' neural network models, 39(2): 83-106, 2000.

Jowitt, P.W. A conceptual systems model of rainfall-runoff on the Haast River, 38(1): 121-144, 1999.

McKerchar, A.I. and Macky, G.H. Comparison of a regional method for estimating design floods with two rainfall-based methods, 40(2): 129-138, 2001.

Pearson, C.P. Changes to New Zealand's national hydrometric network in the 1990s, 37(1): 1-17, 1998.

- Pearson, C.P. and Henderson, R.D.** Frequency distributions of annual maximum storm rainfalls in New Zealand, 37(1): 19-33, 1998.
- Richey, D.G., McDonnell, J.J., Erbe, M.W. and Hurd, T.M.** Hydrograph separations based on chemical and isotopic concentrations: a critical appraisal of published studies from New Zealand, North America, and Europe, 37(2): 95-111, 1998.
- Scotter, D.R., Horne, D.J. and Green, S.R.** A procedure for generating daily rainfall and evaporation data: an evaluation and some applications, 39(1): 65-82, 2000.
- Thorpe, H.R. and Scott, D.M.** An evaluation of four soil moisture models for estimating natural ground water recharge, 38(2): 179-209, 1999.
- Webb, T.H. and Lilburne, L.R.** Use of the LEACHM model and the DRASTIC index to map relative risk of groundwater contamination by pesticide leaching, 38(2): 271-288, 1999.
- White, P.A. and Reeves, R.R.** Waimea Plains aquifer structure as determined by three-dimensional computer modelling, 38(1): 49-75, 1999.
- Withers, C.S. and Nadarajah, S.** Evidence of trend in return levels for daily rainfall in New Zealand, 39(2): 155-166, 2000.

Precipitation

- Fahey, B.D., Watson, A. and Payne, J.** Water loss from plantations of Douglas-fir and radiata pine on the Canterbury Plains, South Island, New Zealand, 40(1): 77-96, 2001.
- Fitzharris, B.** Book Review: Interactions between the cryosphere, climate and greenhouse gases (M. Tranter, R. Armstrong, E. Brun, G. Jones, M. Sharp and M. Williams, eds.), 40(1): 97-98, 2001.
- Henderson, R.D. and Thompson, S.M.** Extreme rainfalls in the Southern Alps of New Zealand, 38(2): 309-330, 1999.
- Hill, J.T. and Goring, D.G.** Smoothing hydrological data: a neural network approach, 37(2): 81-94, 1998.
- Jowitt, P.W.** A conceptual systems model of rainfall-runoff on the Haast River, 38(1): 121-144, 1999.
- McKerchar, A.I. and Macky, G.H.** Comparison of a regional method for estimating design floods with two rainfall-based methods, 40(2): 129-138, 2001.
- Page, M.J., Reid, L.M. and Lynn, I.H.** Sediment production from Cyclone Bola landslides, Waipaoa catchment, 38(2): 289-308, 1999.
- Rowe, L.K., Marden, M. and Rowan, D.** Interception and throughfall in a regenerating stand of kanuka (*Kunzea ericoides* var. *ericoides*) East Coast region, North Island, New Zealand, and implications for soil conservation, 38(1): 29-48, 1999.
- Scotter, D.R., Horne, D.J. and Green, S.R.** A procedure for generating daily rainfall and evaporation data: an evaluation and some applications, 39(1): 65-82, 2000.

Thorpe, H.R. and Scott, D.M. An evaluation of four soil moisture models for estimating natural ground water recharge, 38(2): 179-209, 1999.

Withers, C.S. and Nadarajah, S. Evidence of trend in return levels for daily rainfall in New Zealand, 39(2): 155-166, 2000.

Resource Management

Davies, T.R. Long-term management of facilities on an active alluvial fan - Waiho River fan, Westland, New Zealand, 36(2): 127-145, 1997.

Fenemor, A. Book Review: The blue revolution (by I. Calder), 40(2): 219-221, 2001.

Mosley, M.P. Book Review: Water: A reflection of land use. Options for counteracting land and water mismanagement (M. Falkenmark, L. Andersson, R. Costensson and K. Sunblad, eds.), 39(2): 167-168, 2000.

White, P.A., Sharp, B.M.H. and Kerr, G.N. Economic valuation of the Waimea Plains groundwater system, 40(1): 59-76, 2001.

River Morphology and Hydraulics

Griffiths, G.A. and Carson, M.A. Channel width for maximum bedload transport capacity in gravel-bed rivers, South Island, New Zealand, 39(2): 107-126, 2000.

Hawke, R.M. and McConchie, J.A. Bedload transport in a meltwater stream, Miers Valley, Antarctica: controls and prediction, 40(1): 1-18, 2001.

Rivers and Streams

Caruso, B.S. Evaluation of low-flow frequency analysis methods, 39(1): 19-47, 2000.

Davies, T.R. Long-term management of facilities on an active alluvial fan - Waiho River fan, Westland, New Zealand, 36(2): 127-145, 1997.

Davies, T.R. and Scott, B.K. Dambreak flood hazard from the Callery River, Westland, New Zealand, 36(1): 1-13, 1997.

Fahey, B.D. and Jackson, R.J. Environmental effects of forestry at Big Bush Forest, South Island, New Zealand: 1 Changes in water chemistry, 36(1): 43-71, 1997.

Griffiths, G.A. and Carson, M.A. Channel width for maximum bedload transport capacity in gravel-bed rivers, South Island, New Zealand, 39(2): 107-126, 2000.

Gu, R. A simplified river temperature model and its application to streamflow management, 37(1): 35-54, 1998.

Hawke, R.M. and McConchie, J.A. Bedload transport in a meltwater stream, Miers Valley, Antarctica: controls and prediction, 40(1): 1-18, 2001.

- Hicks, D.M.** A regionally applicable suspended sediment rating for the schist terrain in Otago, 38(1): 77-96, 1999.
- Hill, J.T. and Goring, D.G.** Smoothing hydrological data: a neural network approach, 37(2): 81-94, 1998.
- Jowitt, P.W.** A conceptual systems model of rainfall-runoff on the Haast River, 38(1): 121-144, 1999.
- McKerchar, A.I. and Pearson, C.P.** Quality of long flow records for New Zealand rivers, 36(1): 15-41, 1997.
- Rouse, H.L.** Book Review: Gravel-bed rivers in the environment (P.C. Klingeman, R.L. Beschta, P.D. Komar and J.B. Bradley, eds.), 38(2): 341, 1999.
- Shvidchenko, A.B.** Field study of sediment transport in a piedmont reach of the Laba River, 36(2): 173-181, 1997.

Runoff and Streamflow

- Caruso, B.S.** Evaluation of low-flow frequency analysis methods, 39(1): 19-47, 2000.
- Caruso, B.S. and Jensen, E.** Effects of landslides on contaminant sources and transport in steep pastoral hill country, 39(2): 127-154, 2000.
- Fahey, B.D. and Marden, M.** Sediment yields from a forested and a pasture catchment, coastal Hawke's Bay, North Island, New Zealand, 39(1): 49-63, 2000.
- Gu, R.** A simplified river temperature model and its application to streamflow management, 37(1): 35-54, 1998.
- Hawke, R.M. and McConchie, J.A.** Bedload transport in a meltwater stream, Miers Valley, Antarctica: controls and prediction, 40(1): 1-18, 2001.
- Henderson, R.D., Ibbitt, R.P. and Duncan, M.J.** Cropp River: data to test concepts of channel network and river basin heterogeneity - data note, 38(2): 331-339, 1999.
- Jowitt, P.W.** A conceptual systems model of rainfall-runoff on the Haast River, 38(1): 121-144, 1999.
- McKerchar, A.I. and Pearson, C.P.** Quality of long flow records for New Zealand rivers, 36(1): 15-41, 1997.
- Merz, J. and Mosley, M.P.** Hydrological behaviour of pastoral hill country modified by extensive landsliding, northern Hawke's Bay, New Zealand, 37(2): 113-139, 1998.
- Pearson, C.P.** Changes to New Zealand's national hydrometric network in the 1990s, 37(1): 1-17, 1998.
- Richey, D.G., McDonnell, J.J., Erbe, M.W. and Hurd, T.M.** Hydrograph separations based on chemical and isotopic concentrations: a critical appraisal of published studies from New Zealand, North America, and Europe, 37(2): 95-111, 1998.

Sediment Transport

- Basher, L.R., Hicks, D.M., Handyside, B. and Ross, C.W.** Erosion and sediment transport from the market gardening lands at Pukekohe, Auckland, New Zealand, 36(1): 73-95, 1997.
- Fahey, B.D. and Marden, M.** Sediment yields from a forested and a pasture catchment, coastal Hawke's Bay, North Island, New Zealand, 39(1): 49-63, 2000.
- Griffiths, G.A. and Carson, M.A.** Channel width for maximum bedload transport capacity in gravel-bed rivers, South Island, New Zealand, 39(2): 107-126, 2000.
- Hawke, R.M. and McConchie, J.A.** Bedload transport in a meltwater stream, Miers Valley, Antarctica: controls and prediction, 40(1): 1-18, 2001.
- Hicks, D.M.** A regionally applicable suspended sediment rating for the schist terrain in Otago, 38(1): 77-96, 1999.
- Shvidchenko, A.B.** Field study of sediment transport in a piedmont reach of the Laba River, 36(2): 173-181, 1997.

Soil/Soil Water Characteristics

- Bekesi, G. and McConchie, J.A.** Mapping soil sorption capacity as a measure of regional groundwater vulnerability, 39(1): 1-18, 2000.
- Ekanayake, J.C. and Phillips, J.C.** A model for determining thresholds for initiation of shallow landslides under near-saturated conditions in the East Coast region, New Zealand, 38(1): 1-28, 1999.
- Hawke, R.M., Watts, L.F. and McConchie, J.A.** Efficient and effective irrigation in the Wairarapa: results from field monitoring, 40(1): 19-42, 2001.
- Maggs, G.R.** Hydrology of the Kopouatai peat dome, 36(2): 147-172, 1997.
- Merz, J. and Mosley, M.P.** Hydrological behaviour of pastoral hill country modified by extensive landsliding, northern Hawke's Bay, New Zealand, 37(2): 113-139, 1998.
- Thorpe, H.R. and Scott, D.M.** An evaluation of four soil moisture models for estimating natural ground water recharge, 38(2): 179-209, 1999.
- Tomer, M.D., Knowles, S.F., Fenton, J.A., Bardsley, W.E. and Oliver, G.R.** Soil water, ground water, and wetland seepage within an effluent-irrigated hillslope, 38(1): 97-120, 1999.

Vegetation

- Fahey, B.D. and Jackson, R.J.** Environmental effects of forestry at Big Bush Forest, South Island, New Zealand: 1 Changes in water chemistry, 36(1): 43-71, 1997.
- Fahey, B.D. and Marden, M.** Sediment yields from a forested and a pasture catchment, coastal Hawke's Bay, North Island, New Zealand, 39(1): 49-63, 2000.

Fahey, B.D., Watson, A. and Payne, J. Water loss from plantations of Douglas-fir and radiata pine on the Canterbury Plains, South Island, New Zealand, 40(1): 77-96, 2001.

Water Balance

Fahey, B.D., Watson, A. and Payne, J. Water loss from plantations of Douglas-fir and radiata pine on the Canterbury Plains, South Island, New Zealand, 40(1): 77-96, 2001.

Hawke, R.M., Watts, L.F. and McConchie, J.A. Efficient and effective irrigation in the Wairarapa: results from field monitoring, 40(1): 19-42, 2001.

Maggs, G.R. Hydrology of the Kopouatai peat dome, 36(2): 147-172, 1997.

Rowe, L.K., Marden, M. and Rowan, D. Interception and throughfall in a regenerating stand of kanuka (*Kunzea ericoides* var. *ericoides*) East Coast region, North Island, New Zealand, and implications for soil conservation, 38(1): 29-48, 1999.

Scotter, D.R., Horne, D.J. and Green, S.R. A procedure for generating daily rainfall and evaporation data: an evaluation and some applications, 39(1): 65-82, 2000.

Water Quality

Bekesi, G. and McConchie, J.A. Mapping soil sorption capacity as a measure of regional groundwater vulnerability, 39(1): 1-18, 2000.

Caruso, B.S. and Jensen, E. Effects of landslides on contaminant sources and transport in steep pastoral hill country, 39(2): 127-154, 2000.

Gu, R. A simplified river temperature model and its application to streamflow management, 37(1): 35-54, 1998.

Herrmann, R. Book Review: Impact of urban growth on surface water and groundwater quality (B. Ellis, ed.), 39(2): 169-170, 2000.

Kompani-Zare, M. and Moore, F. Chemical thermometry and origin of the Dalaki mineral springs, Bushehr Province, Iran, 40(2): 189-204, 2001.

McBride, M. Book Review: Impact of land-use change on nutrient loads from diffuse sources (L. Heathwaite, ed.), 40(1): 98-100, 2001.

McLarin, W., Bekesi, G., Brown, L. and McConchie, J.A. Nitrate contamination of the unconfined aquifer, Manakau, Horowhenua, New Zealand, 38(2): 211-235, 1999.

Rosen, M.R. The importance of long-term, seasonal monitoring of groundwater wells in the New Zealand National Groundwater Monitoring Programme (NGMP), 38(1): 145-169, 1999.

Vidovich, M.M., McConchie, J.A. and Schiess, S. The effectiveness of natural attenuation to remediate BTEX contamination in unconfined sand/gravel aquifers: An investigation of two sites, 40(2): 205-217, 2001.

- Watson, A.** Book Review: Interdisciplinary perspectives on drinking water risk assessment and management (E.G. Reichard, F.S. Hauchman and A.M. Sancha, eds.), 40(1): 100-101, 2001.
- Webb, T.H. and Lilburne, L.R.** Use of the LEACHM model and the DRASTIC index to map relative risk of groundwater contamination by pesticide leaching, 38(2): 271-288, 1999.

Geographic Location Index

Antarctica

- Hawke, R.M. and McConchie, J.A.** Bedload transport in a meltwater stream, Miers Valley, Antarctica: controls and prediction, 40(1): 1-18, 2001.

Auckland

- Basher, L.R., Hicks, D.M., Handyside, B. and Ross, C.W.** Erosion and sediment transport from the market gardening lands at Pukekohe, Auckland, New Zealand, 36(1): 73-95, 1997.

Canada

- Richey, D.G., McDonnell, J.J., Erbe, M.W. and Hurd, T.M.** Hydrograph separations based on chemical and isotopic concentrations: a critical appraisal of published studies from New Zealand, North America, and Europe, 37(2): 95-111, 1998.

Canterbury

- Connell, R.J., Beffa, C. and Painter, D.J.** Comparison of observations by flood plain residents with results from a two-dimensional flood plain model: Waihao River, New Zealand, 37(2): 55-79, 1998.
- Connell, R.J. and Pearson, C.P.** Two-component extreme value distribution applied to Canterbury annual maximum flood peaks, 40(2): 105-127, 2001.
- Fahey, B.D., Watson, A. and Payne, J.** Water loss from plantations of Douglas-fir and radiata pine on the Canterbury Plains, South Island, New Zealand, 40(1): 77-96, 2001.
- Hill, J.T. and Goring, D.G.** Smoothing hydrological data: a neural network approach, 37(2): 81-94, 1998.
- Thorpe, H.R. and Scott, D.M.** An evaluation of four soil moisture models for estimating natural ground water recharge, 38(2): 179-209, 1999.
- Vidovich, M.M., McConchie, J.A. and Schiess, S.** The effectiveness of natural attenuation to remediate BTEX contamination in unconfined sand/gravel aquifers: An investigation of two sites, 40(2): 205-217, 2001.
- Webb, T.H. and Lilburne, L.R.** Use of the LEACHM model and the DRASTIC index to map relative risk of groundwater contamination by pesticide leaching, 38(2): 271-288, 1999.

East Coast

- Ekanayake, J.C. and Phillips, J.C.** A model for determining thresholds for initiation of shallow landslides under near-saturated conditions in the East Coast region, New Zealand, 38(1): 1-28, 1999.
- Page, M.J., Reid, L.M. and Lynn, I.H.** Sediment production from Cyclone Bola landslides, Waipaoa catchment, 38(2): 289-308, 1999.
- Rowe, L.K., Marden, M. and Rowan, D.** Interception and throughfall in a regenerating stand of kanuka (*Kunzea ericoides* var. *ericoides*) East Coast region, North Island, New Zealand, and implications for soil conservation, 38(1): 29-48, 1999.

France

- Richey, D.G., McDonnell, J.J., Erbe, M.W. and Hurd, T.M.** Hydrograph separations based on chemical and isotopic concentrations: a critical appraisal of published studies from New Zealand, North America, and Europe, 37(2): 95-111, 1998.

Hawke's Bay

- Caruso, B.S. and Jensen, E.** Effects of landslides on contaminant sources and transport in steep pastoral hill country, 39(2): 127-154, 2000.
- Fahey, B.D. and Marden, M.** Sediment yields from a forested and a pasture catchment, coastal Hawke's Bay, North Island, New Zealand, 39(1): 49-63, 2000.
- Merz, J. and Mosley, M.P.** Hydrological behaviour of pastoral hill country modified by extensive landsliding, northern Hawke's Bay, New Zealand, 37(2): 113-139, 1998.

Horowhenua

- McLarin, W., Bekesi, G., Brown, L. and McConchie, J.A.** Nitrate contamination of the unconfined aquifer, Manakau, Horowhenua, New Zealand, 38(2): 211-235, 1999.

Iran

- Kompani-Zare, M. and Moore, F.** Chemical thermometry and origin of the Dalaki mineral springs, Bushehr Province, Iran, 40(2): 189-204, 2001.

Manawatu

- Bekesi, G. and McConchie, J.A.** Mapping soil sorption capacity as a measure of regional groundwater vulnerability, 39(1): 1-18, 2000.

Nelson

- Fahey, B.D. and Jackson, R.J.** Environmental effects of forestry at Big Bush Forest, South Island, New Zealand: 1 Changes in water chemistry, 36(1): 43-71, 1997.

White, P.A., Sharp, B.M.H. and Kerr, G.N. Economic valuation of the Waimea Plains groundwater system, 40(1): 59-76, 2001.

New Zealand (general)

Chinn, T.J. Distribution of the glacial water resources of New Zealand, 40(2): 139-187, 2001.

McKerchar, A.I. and Pearson, C.P. Quality of long flow records for New Zealand rivers, 36(1): 15-41, 1997.

McKerchar, A.I. and Macky, G.H. Comparison of a regional method for estimating design floods with two rainfall-based methods, 40(2): 129-138, 2001.

Pearson, C.P. Changes to New Zealand's national hydrometric network in the 1990s, 37(1): 1-17, 1998.

Pearson, C.P. and Henderson, R.D. Frequency distributions of annual maximum storm rainfalls in New Zealand, 37(1): 19-33, 1998.

Richey, D.G., McDonnell, J.J., Erbe, M.W. and Hurd, T.M. Hydrograph separations based on chemical and isotopic concentrations: a critical appraisal of published studies from New Zealand, North America, and Europe, 37(2): 95-111, 1998.

Rosen, M.R. The importance of long-term, seasonal monitoring of groundwater wells in the New Zealand National Groundwater Monitoring Programme (NGMP), 38(1): 145-169, 1999.

Scotter, D.R., Horne, D.J. and Green, S.R. A procedure for generating daily rainfall and evaporation data: an evaluation and some applications, 39(1): 65-82, 2000.

Withers, C.S. and Nadarajah, S. Evidence of trend in return levels for daily rainfall in New Zealand, 39(2): 155-166, 2000.

Otago

Caruso, B.S. Evaluation of low-flow frequency analysis methods, 39(1): 19-47, 2000.

Hicks, D.M. A regionally applicable suspended sediment rating for the schist terrain in Otago, 38(1): 77-96, 1999.

Rotorua

Tomer, M.D., Knowles, S.F., Fenton, J.A., Bardsley, W.E. and Oliver, G.R. Soil water, ground water, and wetland seepage within an effluent-irrigated hillslope, 38(1): 97-120, 1999.

Russia

Shvidchenko, A.B. Field study of sediment transport in a piedmont reach of the Laba River, 36(2): 173-181, 1997.

Southern Alps

Henderson, R.D. and Thompson, S.M. Extreme rainfalls in the Southern Alps of New Zealand, 38(2): 309-330, 1999.

Jowitt, P.W. A conceptual systems model of rainfall-runoff on the Haast River, 38(1): 121-144, 1999.

South Island

Griffiths, G.A. and Carson, M.A. Channel width for maximum bedload transport capacity in gravel-bed rivers, South Island, New Zealand, 39(2): 107-126, 2000.

Islam, N., Doscher, C. and Davies, T.R. Estimating missing daily maximum and minimum temperatures for Mount Cook, South Island, New Zealand using a statistical model and 'aiNet' neural network models, 39(2): 83-106, 2000.

Taranaki

Taylor, C.B. and Evans, C.M. Isotopic indicators for groundwater hydrology in Taranaki, New Zealand, 38(2): 237-270, 1999.

Tasman

White, P.A. and Reeves, R.R. Waimea Plains aquifer structure as determined by three-dimensional computer modelling, 38(1): 49-75, 1999.

United States of America

Gu, R. A simplified river temperature model and its application to streamflow management, 37(1): 35-54, 1998.

Waikato

Maggs, G.R. Hydrology of the Kopouatai peat dome, 36(2): 147-172, 1997.

Wairarapa

Hawke, R.M., Watts, L.F. and McConchie, J.A. Efficient and effective irrigation in the Wairarapa: results from field monitoring, 40(1): 19-42, 2001.

West Coast

Davies, T.R. Long-term management of facilities on an active alluvial fan - Waiho River fan, Westland, New Zealand, 36(2): 127-145, 1997.

Davies, T.R. and Scott, B.K. Dambreak flood hazard from the Callery River, Westland, New Zealand, 36(1): 1-13, 1997.

Henderson, R.D., Ibbitt, R.P. and Duncan, M.J. Cropp River: data to test concepts of channel network and river basin heterogeneity - data note, 38(2): 331-339, 1999.

Affiliated Articles Index

Book Reviews

Fenemor, A. Book Review: The blue revolution (by I. Calder), 40(2): 219-221, 2001.

Fitzharris, B. Book Review: Interactions between the cryosphere, climate and greenhouse gases (M. Tranter, R. Armstrong, E. Brun, G. Jones, M. Sharp and M. Williams, eds.), 40(1): 97-98, 2001.

Herrmann, R. Book Review: Impact of urban growth on surface water and groundwater quality (B. Ellis, ed.), 39(2): 169-170, 2000.

- Lynn, I.** Book Review: Floodplains: Interdisciplinary approaches (S.B. Marriott and J. Alexander, eds.), 40(1): 101-103, 2001.
- McBride, M.** Book Review: Impact of land-use change on nutrient loads from diffuse sources (L. Heathwaite, ed.), 40(1): 98-100, 2001.
- Mosley, M.P.** Book Review: Water: A reflection of land use. Options for counteracting land and water mismanagement (M. Falkenmark, L. Andersson, R. Costensson and K. Sunblad, eds.), 39(2): 167-168, 2000.
- Rosen, M.R.** Book Review: Monitoring for groundwater management in (semi-)arid regions (Henny A.J. van Lanen, ed.), 38(1): 171-172, 1999.
- Rouse, H.L.** Book Review: Gravel-bed rivers in the environment (P.C. Klingeman, R.L. Beschta, P.D. Komar and J.B. Bradley, eds.), 38(2): 341, 1999.
- Watson, A.** Book Review: Interdisciplinary perspectives on drinking water risk assessment and management (E.G. Reichard, F.S. Hauchman and A.M. Sancha, eds.), 40(1): 100-101, 2001.

Comments/Discussions

- McDonnell, J.J.** Discussion - comment on "The changing spatial variability of subsurface flow across a hillside" by Ross Woods and Lindsay Rowe, 36(1): 97-100, 1997.
- Woods, R.A. and Rowe, L.K.** Reply to comment - McDonnell, 36(1): 101-103, 1997.

Editorials

- Mosley, M.P.** The data note: A new vehicle, 38(2): 177-178, 1999.

Errata

- Connell, R.J., Beffa, C. and Painter, D.J.** Errata: Comparison of observed field data obtained from Waihao River flood plain residents with two-dimensional hydraulic model results (37(2): 55-79), 38(1): 173, 1999.
- Hill, J.T. and Goring, D.G.** Errata: Smoothing hydrological data: a neural network approach (37(2): 81-94), 38(1): 175, 1999.
- Jowitt, P.W.** Errata: A conceptual systems model of rainfall-runoff on the Haast River (38(1): 121-144), 38(2): 345, 1999.

Technical Notes

- Henderson, R.D., Ibbitt, R.P. and Duncan, M.J.** Cropp River: data to test concepts of channel network and