

JOURNAL OF HYDROLOGY (N.Z.)
AUTHOR INDEX
VOLUMES 1-21

JOURNAL OF HYDROLOGY (N.Z.)

AUTHOR INDEX

VOLUMES 1-21

- ADAMS, J., Sediment loads of North Island Rivers, New Zealand—a Reconnaissance.
18(1): 36-48, 1979.
- ALDRIDGE, R., The resultant direction and inclination of rainfall at Arahura, Wairarapa, New Zealand.
14(1): 55-63, 1975.
- The resultant direction and inclination of rainfall at Taita experimental station, New Zealand.
14(1): 42-54, 1975.
- The measurement of rainfall at ground level.
15(1): 35-40, 1976.
- see also JACKSON, R. J.
- ANDERTON, P. W., The significance of perennial snow and ice to the water resources of the South Island, New Zealand.
12(1): 6-18, 1973.
- ARCHER, A. C., Studies of snow characteristics in the North-Eastern Ben Ohau Mountains, New Zealand.
9(1): 4-21, 1970.
- ARNOTT, W. B. see CUNNINGHAM, A.
- BATCHELER, C. L., A heated alpine precipitation gauge.
9(1): 36-42, 1970.
- BAUMGART, I. L., Hydrology and the environment.
14(2): 66-75, 1975.
- BENNETT, J. R. and SELBY, M. J., Induced channel instability and hydraulic geometry of the Mangawhara Stream, New Zealand.
16(2): 134-147, 1977.
- BESCHTA, R. L., Moving averages and cyclic patterns (Note).
21(2): 148-151, 1982.
- BIDWELL, V. J., Time analysis of rainfall on an urban catchment.
6(2): 74-79, 1967.
- The design of a flood forecasting procedure for the Klang River at Kuala Lumpur.
18(1): 29-35, 1979.
- BLAKE, G. J. and TAYLOR, J. L., Interception and phytomorphology.
6(2): 70-73, 1967.
- MALLISON, G. D. and LYKLES, P., Infiltration in the Puketurua experimental basin.
7(1): 38-46, 1968.
- and BRANSON, F. A., Root survey methods for hydrological experiments.
8(1): 3-7, 1969.

- BOUGHTON, W. C., Plots for evaluating the catchment characteristics affecting soil loss. 1 - Design of experiments.
6(2): 113-119, 1967.
- A mathematical model for estimating run-off.
7(2): 75-100, 1968.
- Planning the development of water resources.
13(1): 1-13, 1974.
- and McKERCHAR, A., Generating synthetic stream-flow records for New Zealand rivers.
7(2): 112-123, 1968.
- see also SEFE, F. T.
- BOYLE, R. J., Analysis of riverbed materials by photographs.
1(2): 49, 1962.
- BRANSON, F. F., see BLAKE, G. J.
- BRIGHT, P., see HICKS, D. M.
- BROOME, P. and SPIGEL, R. H., A linear model of storm runoff for some urban catchments in New Zealand.
21(1): 13-33, 1982.
- BÜRDEN, R. J., Distribution of nitrate-N concentrations in ground-water beneath intensively grazed pastureland in the Ngatarawa Valley, Hawkes Bay.
19(2): 94-105, 1980.
- Hydrochemical variation in a water-table aquifer beneath grazed pastureland.
21(1): 61-75, 1982.
- BURKE, W. D., An estimate of total surface area of vegetation for Pukeiti catchment, Northland, New Zealand.
13(2): 115-120, 1974.
- CADDIE, G. H., Estimating rainfall factors from data obtained in actual storms.
3(1): 27-28, 1964.
- see also CAMPBELL, A. P.
- CALLANDER, R. A., Non-uniform flow in open channels—a graphical solution.
3(2): 25-35, 1964.
- Research in loose boundary hydraulics at Auckland University.
6(1): 45, 1967.
- CALVERT, R. J., History and background of the Clutha schemes.
14(2): 76-82, 1975.
- CAMPBELL, A. P., The partnership of hydrology and meteorology.
1(1): 15, 1962.
- Hydrological impressions from a visit to the U.S.
2(2): 61-63, 1963.
- and CADDIE, G. H., Erosion rate coefficients for some New Zealand catchments.
2(1): 22-23, 1963.
- CEDERHOLM, C. J. see READ, L. M.

- CHANDLER, A., Installation and frost protection of Lambrecht rain gauges.
4(1): 34-37, 1965.
- CHENG, T. T., Improvement of siphoning action in natural-siphon rain gauges.
11(1): 62-64, 1972.
- CHINN, T. J. H., Snow survey techniques in the Waitaki catchment, South Canterbury.
8(2): 68-76, 1969.
- CHRISTIAN, R., and THOMPSON, S. M., Loop rating and grading of suspended sediment in the Mararoa (Note).
17(1): 50-53, 1978.
- COLLINS, C. M. see SLAUGHTER, C. W.
- COOMBE, I. F. J., Operation of the proposed Upper Clutha Power Development.
14(2): 99-104, 1975.
- COSENS, G. G., Clutha Valley soils and water resources development.
14(2): 117-129, 1975.
- see also FITZGERALD, P. D.
- COSTELLO, E. J. see STRATFORD, R. P.
- COULTER, J. D., Easterly and westerly rainfalls in Hawke's Bay.
1(1): 3-4, 1962.
- CROZIER, M. J., Earthflows and related environmental factors of eastern Otago.
7(1): 4-12, 1968.
- CUNNINGHAM, A., Protection forest research in the North Island in relation to hydrology.
2(1): 3-6, 1963.
- and ARNOTT, W. B., Observations following a heavy rainfall on the Rimutaka Range.
3(2): 15-24, 1964.
- CUNNINGHAM, M. J., A mathematical model of the physical processes of an earthflow.
11(1): 47-54, 1972.
- DAVIES, T. R., NICOLLE, K. and TINKER, C., Aerial photography of rivers—black and white infrared film (Note).
18(2): 141-143, 1979.
- DAY, M. C. and HUNT, B. W., Groundwater transmissivities in North Canterbury (Note).
16(2): 158-163, 1977.
- DAY, T. J., Longitudinal dispersion of fluid particles in mountain streams. 1—Theory and field evidence.
16(1): 7-25, 1977.
- Longitudinal dispersion of fluid particles in mountain streams. 2—Similarity of the mean motion and its application.
16(1): 26-52, 1977.
- Field procedures and evaluation of a slug dilution gauging method in mountain streams.
16(2): 113-133, 1977.

- DONALDSON, I. G., Underground waters of Lower Hutt—a model study.
13(2): 81-97, 1974.
- DREAVER, K. R. and HUTCHINSON, P., Random and systematic errors in precipitation at an exposed site.
13(1): 54-63, 1974.
- DROST, H., Velocity head rod for measuring stream flow.
2(1): 7-11, 1963.
— Velocity head rod.
3(1): 30, 1964.
— Precalibrated fibreglass flow measurement structures for experimental basins.
5(1): 20-24, 1966.
- DUNNE, T., see READ, L. M.
- EDWARDS, K. A. and RODDA, J. C., A preliminary study of the water balance of a small clay catchment.
9(2): 202-218, 1970.
- EYLES, R. J., Drainage density representation on Wellington maps.
12(1): 19-31, 1973.
— Stream channel measurements in New Zealand.
13(2): 135-138, 1974.
- FAHEY, B. D., Throughfall and interception of rainfall in a stand of Radiata Pine.
3(1): 17-26, 1964.
- FINKELSTEIN, J., Evaporation in New Zealand.
1(1): 17, 1962.
— Persistence of daily rainfall at some New Zealand stations.
6(1): 33-44, 1967.
— Comparisons between 4-inch plastic and 5-inch copper raingauges.
10(2): 100-103, 1971.
- FITZGERALD, P. D., Experience with a neutron scatterer for measurement of soil moisture.
2(2): 71-72, 1963.
— A critical table for Thornthwaite's potential evapotranspiration.
8(2): 92, 1969.
— The estimation of soil moisture deficits by Penman's and Thornthwaite's method in Mid-Canterbury.
13(1): 32-40, 1974.
— COSSENS, G. G. and RICKARD, D. S., Infiltration and soil physical properties.
10(2): 120-126, 1971.
— see also RICKARD, D. S.
- FITZHARRIS, B. B., Land-use change and the water balance — an example of an evapotranspiration simulation model.
13(2): 98-114, 1974.
— Problems in estimating snow accumulation with elevation on New Zealand mountains.
17(2): 78-90, 1978.
— STEWART, D. and HARRISON, W., Contribution of snow melt

- to the October 1978 flood of the Pomahaka and Fraser Rivers, Otago.
19(2): 84-93, 1980.
- FISH, G. R., Lakes: The value of recent research to measure eutrophication and to indicate possible causes.
8(2): 77-85, 1969.
- Nitrogen and phosphorus analyses of rainfall at Rotorua, New Zealand.
15(1): 17-26, 1976.
- The fallout of nitrogen and phosphorus compounds from the atmosphere at Ngapuna, near Rotorua, New Zealand.
15(1): 27-34, 1976.
- FLEMING, P. M., The Australian representative basins programme.
13(1): 21-31, 1974.
- FRIZZELL, R., Land flooding and compensation in the Upper Clutha.
14(2): 111-116, 1975.
- GIBBS, M. M., A simple digital rate-meter for current meters (Note).
18(1): 55-58, 1979.
- An automatic water sensing start switch for a Manning S4000 Sampler (Note).
18(2): 144-145, 1979.
- A precision interrupt switch with a variable duty cycle (Note).
18(2): 146-148, 1979.
- GILBERT, D. J., Calculating lake inflow (Note).
17(1): 39-43, 1978.
- GILLIES, A. J., Review of snow survey methods, and snow surveys in the Fraser catchment, Central Otago.
3(1): 3-16, 1964.
- GRANT, P. J., Problems requiring closer attention.
1(1): 16, 1962.
- Some manual methods of recording maximum water level.
1(2): 45-48, 1962.
- Major regime changes of the Tukituki River, Hawke's Bay, since about 1650 A.D.
4(1): 17-30, 1965.
- Groundwaters of the Heretaunga Plains. 1 - Ngaruroro River as a major recharge source.
4(2): 65-80, 1965.
- Variations of rainfall frequency in relation to drought on the East Coast.
7(2): 124-135, 1968.
- Rainfall patterns on the Kaweka Range.
8(1): 17-34, 1969.
- Low flow characteristics on three rock types of the East Coast, and the translation of some representative basin data.
10(1): 22-35, 1971.
- Water temperatures of the Ngaruroro River at three stations.
16(2): 148-157, 1977.

- Coarse sediment yields from the Upper Waipawa River basin, Ruahine Range.
21(2): 81-97, 1982.
- see also RAPIER, D. A.
- GREEN, M. J., Effects of exposure on the catch of rain gauges.
9(2): 55-71, 1970.
- GREENLAND, D. E. and OWENS, I. F., An analysis of rainfall and soil moisture characteristics in the Chilton Valley, Cass.
6(2): 80-88, 1967.
- GRIFFITHS, A. D. see PEARCE, A. J.
- GRIFFITHS, G. A., Origin and transport of large boulders in mountain streams.
16(1): 1-6, 1977.
- Recent sedimentation history of the Waimakariri River, New Zealand.
18(1): 6-28, 1979.
- Hydraulic geometry relationships of some New Zealand gravel bed rivers.
19(2): 106-118, 1980.
- and HICKS, D. M., Comment on "Clutha flood of October, 1978" by I. G. Jowett.
19(1): 75-77, 1980.
- — Transport of sediment in mountain streams; performance of a measurement system during a two year storm (Note).
19(2): 131-136, 1980.
- HADLEY, R. F. see LUSBY, G. C.
- HANSON, C. L. see WOOLHISER, D. A.
- HARRISON, W. see FITZHARRIS, B. B.
- HARTOG, H. G., Automatic data processing.
5(1): 25-26, 1966.
- HAY, J. E., Computation model of radiative fluxes.
10(1): 36-48, 1971.
- HAYWARD, J. A., Plots for evaluating the catchment characteristics affecting soil loss. 2 - Review of plot studies.
6(2): 120-137, 1967.
- and SUTHERLAND, A. J., The Torlesse stream vortex-tube sediment trap.
13(1): 41-53, 1974.
- HEINE, A. J., Snow and ice investigations in New Zealand.
1(2): 53-54, 1962.
- HENDERSON, F. M., Flood waves in prismatic channels.
1(2): 56, 1962.
- HICKS, B. G. and SMITH, R. D., Management of steeplands impacts by landslide hazard zonation and risk evaluation.
20(1): 63-70, 1981.
- HICKS, D. M. and BRIGHT, P., An integrated system for automatic collection of flow and suspended sediment data.
20(2): 147-151, 1981.
- see also GRIFFITHS, G. A.

- see also JOWETT, I. G.
- HIMIDA, I. H., The Nubian artesian basin, its regional hydrogeological aspects and palaeohydrogeological reconstruction.
9(2): 89-116, 1970.
- HOARE, R. A., Inflows to Lake Rotorua.
19(1): 49-59, 1980.
- HOCKEY, J. B., OWENS, I. F. and TAPPER, N. J., Empirical and theoretical models to isolate the effect of discharge on summer water temperatures in the Hurunui River.
21(1): 1-12, 1982.
- HOSKING, P. J. see SELBY, M. J.
- HUGHES, P. J., Slope aspect and tunnel erosion in the loess of Banks Peninsula, New Zealand.
11(2): 94-98, 1972.
- HUNT, B. W. and WILSON, D. D., Graphical calculation of aquifer transmissivities in Northern Canterbury, New Zealand.
13(2): 66-80, 1974.
- see also DAY, M. C.
- HUTCHINSON, P., A note on random rain gauge errors.
8(1): 8-10, 1969.
- and SIMMERS, I., A modified catchment model of the Upper Taieri River, Otago, New Zealand.
10(1): 2-21, 1971.
- see also DREAVAR, K. R.
- IBBITT, R. P., Data processing: A review of the role of the Ministry of Works and Development.
14(1): 21-29, 1975.
- Compression of time-series data.
14(1): 30-41, 1975.
- Flow estimation in an unstable river illustrated on the Rakaia River for the period 1958-1978.
18(2): 88-108, 1979.
- see also THOMPSON, S. M.
- JACKSON, R. J., The effect of slope, aspect and albedo on potential evapotranspiration from hillslopes and catchments.
6(2): 60-69, 1967.
- and ALDRIDGE, R., Rainfall measurements at Taita experimental station, New Zealand. 1 - Vertical rain gauges.
11(1): 3-14, 1972.
- — Rainfall measurements at Taita experimental station, New Zealand, 2 - Tilted rain gauges and vectopluiometers.
11(1): 15-37, 1972.
- JINZE, M. and QUINGMEI, M., Sediment delivery ratio as used in the computation of watershed sediment yield.
20(1): 27-38, 1981.
- JOHN, P. H., JOHNSON, F. A. and SUTCLIFFE, P., Flow measurement using a conductivity flow meter - initial investigation.
17(1): 16-30, 1978.

- JOHNSON, F. A., Stream discharge estimation.
9(1): 22-28, 1970.
— see also JOHN, P. H.
- JOHNSON, P., Calculation of the instantaneous unit hydrograph using Laplace transforms.
9(2): 307-322, 1970.
- JONES, I. E., The continuous recording of earthmovement on earthflows, slips and land slumps with a modified automatic water level recorder.
1(2): 50-52, 1962.
- JOWETT, I. G., Clutha flood of October 1978.
18(2): 121-140, 1979.
— and HICKS, D. M., Surface suspended and bedload sediment, Clutha river system.
20(2): 121-130, 1981.
- JUNCKER, P., Toward a global hydrological typology.
10(2): 145-153, 1971.
- KARRENBERG, H. see WEYER, K. U.
- KELLER, H. M., Sources of streamflow in a small high-country catchment in Canterbury, New Zealand.
6(1): 2-19, 1967.
— Factors affecting water quality of small mountain catchments.
9(2): 133-141, 1970.
- KHATRI CHHETRI, T. B. and PAINTER, D. J., Erodibility of New Zealand soils.
10(1): 49-58, 1971.
- KNIGHTON, A. D., Local variations of cross-sectional form in a small gravel-bed stream.
20(2): 131-146, 1981.
- KUHLMAN, A. R. see WOOLHISER, D. A.
- LAWGUN, N. see RAUDKIVI, A. J.
- LAWSON, D. W., A distributed hydrological model based on the concept of groundwater recharge, transmission and discharge.
10(2): 133-140, 1971.
- LEGOWO, D., Volcanic debris control applied in Indonesia.
20(1): 71-79, 1981.
- de LEON, P. R. L., The determination of storm average loss rates for Roding River regional catchment, Nelson.
2(1): 12-17, 1963.
— Storm average loss rates.
4(2): 54-64, 1965.
- LIEBSCHER, H., Results of research on some experimental basins in the Upper Harz mountains (Federal Republic of Germany).
9(2): 163-176, 1970.
- LISTER, R. G., Social effects of the Upper Clutha power scheme.
14(2): 105-110, 1975.
- LLOYD, J. W. see MORA-CASTRO, D.
- LUSBY, G. C. and HADLEY, R. F., Deposition behind low dams and barriers in the South Western United States.
6(2): 89-105, 1967.

- LYKLES, P. see BLAKE, G. J.
- MALE, A. J. R., Surface water resources of the Kerikeri region.
19(1): 11-26, 1980.
- MANDEVILLE, A. N. and RODDA, J. C., A contribution to the objective assessment of areal rainfall amounts.
9(2): 281-291, 1970.
- MARK, A. F. and ROWLEY, J., Water yield of low-alpine snow tussock grassland in Central Otago.
15(2): 59-80, 1976.
- MARTIN, G. N., Characterization of simple exponential baseflow recessions.
12(1): 57-62, 1973.
- Water sampling from unpumped wells with static water levels deeper than 10 metres.
15(1): 41-45, 1976.
- MARTINEC, J., Estimation of roughness coefficient from velocity measurements in open channels.
3(2): 36-37, 1964.
- McCAMMON, R. B., Towards a computer-based information-retrieval system for groundwater data.
14(1): 9-20, 1975.
- McCONCHIE, J. A., Implication of landslide activity for urban drainage.
19(1): 27-34, 1980.
- McKERCHAR, A. see BOUGHTON, W. C.
- McNABB, A., Draining in a thin horizontal permeable layer.
1(2): 55, 1962.
- McSAVENEY, M. J., An effective anti freeze for storage rain gauges (Note).
18(1): 52-54, 1979.
- MOLLOY, B. P. J., Evidence for post-glacial climatic changes in New Zealand.
8(2): 56-67, 1969.
- MORA-CASTRO, D. and LLOYD, J. W., A digital model of part of the Rio Tempisque alluvial aquifer, Costa Rica.
16(1): 73-86, 1977.
- MORRIS, J. Y. and O'LOUGHLIN, C. L., Snow investigations in the Craigieburn Range.
4(1): 2-16, 1965.
- MORRISSEY, W. B., The slackline cableway as used in England.
1(2): 30-35, 1962.
- Precipitation measurement in New Zealand representative and experimental basins.
6(1): 20-32, 1967.
- MOSLEY, M. P., Prediction of hydrologic variables from channel geomorphology, South Island Rivers.
18(2): 109-120, 1979.
- MURRAY, D. L., Comparison of raingauge evaporation suppressants.
11(2): 99-104, 1972.

- Regional hydrology of the Clutha River.
14(2): 83-98, 1975.
- NEVINS, T. H. F., The Matthes rolling diameter as an indicator of channel stability.
7(1): 47-50, 1968.
- River discharges: New Zealand's place in the world.
9(1): 43-46, 1970.
- NICOLLE, K. see DAVIES, T. R.
— see also van't WOUDT, B. D.
- NISSEN, P. B., Overseas hydro-meteorological practice.
1(1): 12-14, 1962.
- O'CONNOR, K. F., Multiple resource use in the Upper Clutha Valley.
14(2): 130-145, 1975.
- O'LOUGHLIN, C. L., The effect of timber removal on the stability of forest soils.
13(2): 121-134, 1974.
- ROWE, L. K. and PEARCE, A. J., Sediment yields from small forested catchments, North-Westland Nelson, New Zealand.
17(1): 1-15, 1978.
- see also MORRIS, J. Y.
— see also PEARCE, A. J.
- OUMA, J. P. B. M., Fluvial differentiation of the basin of Lake Victoria.
9(2): 219-251, 1970.
- OWEN, R. C., Soil strength and microclimate in the distribution of shallow landslides.
20(1): 17-26, 1981.
- OWENS, I. F. see GREENLAND, D. E.
— see also HOCKEY, J. B.
— see also PROWSE, T. D.
- PAIN, C. F., Geomorphic effects of floods in the Orere River catchment, Eastern Hunua Ranges.
7(2): 62-74, 1968.
- PAINTER, D. J. see KHATRI CHHETRI, T. B.
- PARDE, M., Flow regimes of New Zealand rivers.
5(1): 2-19, 1966.
- PATTERSON, J. E., A combined event and fixed-time recorder.
10(2): 141-144, 1971.
- A multichannel recorder for hydrological research.
11(1): 55-61, 1972.
- A 10-channel adaptor for use with a battery-powered chart recorder.
11(2): 88-93, 1972.
- A printing counter for the field recording of events.
17(1): 31-38, 1978.
- PEARCE, A. J. and GRIFFITHS, A. D., Effects of selective logging on physical water quality in small streams, Okarito Forest.
19(1): 60-67, 1980.
- and ROWE, L. K., Forest management effects on interception, evaporation, and water yield.
18(2): 73-87, 1979.

- ROWE, L. K. and O'LOUGHLIN, C. L., Hydrologic regime of undisturbed mixed evergreen forests, South Nelson, New Zealand. 21(2): 98-116, 1982.
- see also O'LOUGHLIN, C. L.
- PEARSON, F. H., Generation of monthly stream-flow data. 7(2): 101-111, 1968.
- Unit hydrograph by diffusion analogy. 9(2): 299-306, 1970.
- PEMBERTON, G., Integrated river basin development and regional planning in New Zealand. 13(1): 14-20, 1974.
- PICKUP, G., Alternative measures of river channel shape and their significance. 15(1): 9-16, 1976.
- Potential and limitations of rainfall-runoff models for prediction on ungauged catchments: A case study from the Papua New Guinea Highlands. 16(1): 87-102, 1977.
- PIERSON, T. C., Piezometric response to rainstorms in forested hillslope drainage depressions. 19(1): 1-10, 1980.
- Classification and hydrological characteristics of scree slope deposits in the northern Craigieburn Range, New Zealand. 21(1): 34-60, 1982.
- PITTAMS, R. J., Preliminary water balance studies of the Rotorua Lakes. 7(1): 24-37, 1968.
- An empirical relationship between rainfall and runoff. 9(2): 357-372, 1970.
- PROWSE, T. D. and OWENS, I. F., Energy balance over melting snow, Craigieburn Range, New Zealand. 21(2): 133-147, 1982.
- PULLAR, W. A., Flood risk at Whakatane. 2(2): 47-52, 1963.
- Ground surfaces on flood plains. 4(1) 31-33, 1965.
- QUIN, B. F., The effects of drainage from surface irrigation with treated sewage effluent on groundwater quality at Templeton. 17(2): 91-102, 1978.
- QUINGMEI, M. see JINZE, M.
- RAPIER, D. A. and GRANT, P. J., Comparison of wetting losses on two types of rainguage. 10(2): 104-108, 1971.
- RAUDKIVI, A. J., Current research in hydrology in New Zealand Universities. 2(1): 24-27, 1963.
- Estimation of roughness coefficient from velocity measurements in open channels. 2(2): 53-56, 1963.

- On statistical analysis of flood flows.
2(2): 64-67, 1963.
- Author's reply.
3(2): 38, 1964.
- and LAWGUN, N., Monthly persistence patterns of Auckland rainfall yields.
9(1): 29-31, 1970.
- READ, L. M., DUNNE, T. and CEDERHOLM, C. J., Application of sediment budget studies to the evaluation of logging road impact.
20(1): 49-62, 1981.
- REYNOLDS, S. G., A tropical example of topsoil enrichment by flood silt.
9(1): 32-35, 1970.
- RICKARD, D. S., Optimum soil moisture level.
4(1): 38, 1965.
- and FITZGERALD, P. D., The estimation and occurrence of agricultural drought.
8(1): 11-16, 1969.
- see also FITZGERALD, P. D.
- RIDALL, G. T., A comprehensive water sampler.
2(1): 18-21, 1963.
- RIDDELL, D. C., Flood hydrology of the Motu River.
19(1): 35-48, 1980.
- RILEY, S. J., Some differences between distributing and braiding channels.
14(1): 1-8, 1975.
- RODDA, J. C. see EDWARDS, K. A.
- see also MANDEVILLE, A. N.
- ROWE, L. K., Rainfall interception by a Beech-Podocarp-Hardwood forest near Reefton, North Westland, New Zealand.
18(2): 63-72, 1979.
- see also O'LOUGHLIN, C. L.
- see also PEARCE, A. J.
- ROWLEY, J. see MARK, A. F.
- SCARF, F., Hydrological effects of cultural changes at Moutere experimental basin.
9(2): 142-162, 1970.
- Mapping average annual surface water resources of the hydrological regions of Nelson, New Zealand.
11(2): 105-126, 1972.
- SCOTT, G. L., Hydrogeology of the Canterbury Plains between Ashburton and Rakaia Rivers, New Zealand.
19(1): 68-74, 1980.
- SEFE, F. T. and BOUGHTON, W. C., Variation of model parameter values and sensitivity with type of objective function.
21(2): 117-132, 1982.
- SELBY, M. J., Cones for measuring soil creep.
7(2): 136-137, 1968.

- Design of a hand-portable rainfall-simulating infiltrometer, with results from the Otutira catchment.
9(2): 117-132, 1970.
- The relationships between land use and erosion in the Central North Island, New Zealand.
11(2): 73-87, 1972.
- and HOSKING, P. J., Causes of infiltration into yellow-brown pumice soils.
10(2): 113-119, 1971.
- — The erodibility of pumice soils of the North Island, New Zealand.
12(1): 32-56, 1973.
- see also BENNETT, J. R.
- SIMMERS, I., Analysis of some heavy rainfalls in the Rangitikei District.
1(2): 23-29, 1962.
- Low flow characteristics of the Rangitikei River.
2(2): 68-70, 1963.
- see also HUTCHINSON, P.
- SINTON, L. W., Two antibiotic-resistant strains of *Escherichia coli* for tracing the movement of sewage in groundwater.
19(2): 119-130, 1980.
- SLAUGHTER, C. W. and COLLINS, C. M., Sediment load and channel characteristics in subarctic upland catchments.
20(1): 39-48, 1981.
- SLEPICKA, F., Analytical relations in the time frequency of the total river runoff and its genetic components.
9(2): 78-88, 1970.
- SMITH, N. R., Battery powered heating of Lambrecht raingauges.
4(2): 81-82, 1965.
- SMITH, R. D. see HICKS, B. G.
- SOONS, J. M., Rainfall/runoff relationships at Cass, in the South Island High Country.
9(2): 192-201, 1970.
- SPEIGHT, E. J., Protection of rain gauges from freezing.
1(1): 17, 1962.
- Hilger and Watts Helix water current meter.
1(1): 17, 1962.
- Hilger and Watts new type gauging reel.
1(1): 18, 1962.
- Pivot end-play in Price type current meters.
3(1): 29, 1964.
Erratum— 3(2): 36, 1964.
- SPIGEL, R. H. see BROOME, P.
- ST. CLAIR-CORCORAN, B., A general spatial model. 1 - Application to efficient land use.
10(2): 127-132, 1971.
- STEWART, D. see FITZHARRIS, B. B.
- STRANG, D. D. see TOEBES, C.

- STRATFORD, R. P. and COSTELLO, E. J., Solar heating to prevent freezing in recording raingauges.
13(2): 139-141, 1974.
- SUTCLIFFE, P. see JOHN, P. H.
- SUTHERLAND, A. J. see HAYWARD, J. A.
— see also WOOD, M. J.
- SVOBODA, M., The hydrological budget and computation of ground-water components of river discharge in the northwest part of Police representative basin in Czechoslovakia.
9(2): 252-280, 1970.
- SWANSON, F. J., New directions in assessing human impact on erosion in steep lands.
20(1): 3-7, 1981.
- SWANSON, R. H., Sampling for direct transpiration estimates.
9(2): 72-77, 1970.
— Local snow distribution is not a function of local topography under continuous tree cover.
9(2): 292-298, 1970.
- TAYLOR, C. H., Relations between geomorphology and stream flow in selected New Zealand river catchments.
6(2): 106-112, 1967.
- TAYLOR, J. L. see BLAKE, G. J.
- TAPPER, N. J. see HOCKEY, J. B.
- THOMPSON, S. M. and IBBITT, R. P., Smoothing permanent records of lake level (Note).
17(1): 44-49, 1978.
— see also CHRISTIAN, R.
- THOMPSON, R. D., Hydrological budget studies on geophysically temperate glaciers.
7(1): 13-23, 1968.
- TINKER, C. see DAVIES, T. R.
- TOEBES, C., Presidential address.
1(1): 2, 1962.
— The water balance.
1(1): 5-9, 1962.
— A note on the use of infiltration equations in infiltration analysis.
1(2): 36-44, 1962.
— Presidential address 1963.
2(2): 41, 1963.
— Drawing stage discharge curves through points showing scatter.
2(2): 57-60, 1963.
— Certainty, complexity and curiosity — a note on studying the hydrological effects of land management changes.
11(1): 38-46, 1972.
— The water balance of New Zealand.
11(2): 127-139, 1972.
— and STRANG, D. D., On recession curves: 1 – Recession equations.
3(2): 2-14, 1964.

- TOMLINSON, A. I., Storm rainfalls.
17(2): 57-77, 1978.
- WATT, J. P. C., Field observations of the moisture regime of a yellow-grey-earth (Otokia Silt Loam) in Eastern Otago.
16(1): 53-72, 1977.
- WAUGH, J. R., Evaluation of rainfall data from plastic and copper rain-gauges.
10(2): 109-112, 1971.
- WEYER, K. U. and KARREBERG, H., Influence of fractured rocks on the recession curve in limited catchment areas in hill country.
9(2): 177-191, 1970.
- WHITEHOUSE, I. E., Stream aggradation following recent glacial retreat (Note).
18(1): 49-51, 1979.
- WILLIAMS, P. W., Impact of urbanization on the hydrology of Wairau Creek, North Shore, Auckland.
15(2): 81-100, 1976.
- WILSON, D. D., Hydrogeology of metropolitan Christchurch.
15(2): 101-120, 1976.
- see also HUNT, B. W.
- WOOD, M. J. and SUTHERLAND, A. J., Evaluation of a digital catchment model on New Zealand catchments.
9(2): 323-335, 1970.
- WOODING, R. A., Rainfall runoff in a thin sloping weatherbed layer.
1(2): 55, 1962.
- WOOLHISER, D. A., HANSON, C. L. and KUHLMAN, A. R., Overland flow on rangeland watersheds.
9(2): 336-356, 1970.
- van't WOUDET, B. D. and NICOLLE, K., Flow processes below a gravelly riverbed.
17(2): 103-119, 1978.
- YATES, M. E., Effects of cultural changes on Makara experimental basin: Hydrological and agricultural production effects of two levels of grazing on unimproved and improved small catchments.
- ZIEMER, R. R., Management of steepland erosion: an overview.
20(1): 8-16, 1981.