

Journal of Hydrology (NZ) 5 Year Index

Volumes 31 - 35

Table of Contents

Introduction

Explanation of Entries

Table of Contents

Author Index

Subject Index

Hydrological Subject Index

Geographic Location Index

Introduction

This index covers the past five years (1992-96) of publication of the Journal of Hydrology (NZ). It includes not only research papers but most of the minor contributions as well - editorials, book reviews, abstracts, notes, and reports. It is hoped that the index will be a useful reference for the *Journal's* readers.

To cater for the considerable range of demands placed on an index by researchers the *Index* has been compiled as two different sections: an *Author Index* and a *Subject Index*. This format is the same as used in the previous 30-year Index published in 1992 but only those subjects on which papers have been published during the past 5 years have been used.

To provide a format that streamlines the searching process three sub-indices were composed. Firstly, the *Hydrologic Subject Index*, the largest of the three divisions, contains works organised into categories of a technical nature. The *Geographic Location Index* comprises sections describing geographic regions; New Zealand entries are listed on a provincial basis while works relating to international locations can be found under either their continent or country.

This bibliographic database, together with the entire 35-year publication record of the Journal, is also available in digital form. It is stored in Endnote Plus[®] but can be output to a wide range of other bibliographic database formats. Persons wishing to obtain a copy of the digital version

of this database (either the past 5 years or the entire 35 years) should contact:

Dr J.A. McConchie
School of Earth Sciences
Victoria University
P.O. Box 600
Wellington
New Zealand

Explanation of Entries

Author Index

The full biographical reference to a contributed work is listed under the first named author. Second authors are also listed, but only with a 'see' reference under their name referring back to the "first named author". For example, the entries for a paper entitled "*Fine sediment production from truck traffic, Queen Charlotte Forest, Marlborough Sounds, New Zealand*", by R. J. Coker, B. D. Fahey, and J. J. Payne which appears on pages 56-64 of Volume 31, Number 1, 1993 are:

Coker, R. J.,

with **Fahey, B. D. and Payne, J. J.**

- Fine sediment production from truck traffic, Queen Charlotte Forest, Marlborough Sounds, New Zealand, 31(1): 56-64, 1993.

Fahey, B. D.

see **Coker, R. J.**

Payne, J. J.

see **Coker, R. J.**

Subject Index

Here contributed works may be found under category headings appropriate for the technical content included, the geographical location of the study, and the type of entry for affiliated articles only. Throughout the Subject Index entries are listed alphabetically according to the surname of the First Author. A particular article can appear in a number of sub-indices depending on its content and regional focus.

Author Index

Adhikari, R. N.

see Rama Mohan Rao, M. S.

Arulchelvam, I. M.

see Kelliher, F. M.

Austin, G. L.

See Gray, W. R.

Bal, A. A.

- Valley fills and coastal cliffs buried beneath an alluvium plain: evidence from variation of permeabilities in gravel aquifers, Canterbury Plains, New Zealand, 35(1): 1-27, 1996.

Bardsley, W. E..

- A moribund science? 31(1): 1-4, 1993.
- Using groundwater for hydro electric power generation, 34(1): 1-14, 1995.

and **Campbell, D. I.**

- Water loading: a neglected factor in the analysis of piezometric time series from confined aquifers (note), 34(2): 89-93, 1995.

Barringer, J. R. F.,

with **Porteous, A., Salinger, M. J. and Trangmar, B. B.**

- Estimating spatial patterns of wilting point deficit using a water balance model and a geographic information system, 34(1): 42-59, 1995.

Beanland, R.

see **Dravid, D.**

Bidwell, V. J.

and **Griffiths, G. A.**

- Adaptive flood forecasting: an application to the Waimakariri River, 32(2): 1-15, 1995.

Buchan, G. D.

- The IH capacitance probe for measurement of soil water content: Review (T J Dean), 34(2): 129-131, 1995.

Byers, J. N.

see **Kelliher, F. M.**

Campbell, D. I.

see **Bardsley, W. E..**

Carter, G. S.

- Interaction of surface seiche and recording frequency in lake levels (note), 35(1): 123-130, 1996.

- Cassel, D. K.**
see **Elsenbeer, H.**
- Chandrappa, M.**
see **Rama Mohan Rao, M. S.**
- Chapman, T. G.**
 - New methods of unitgraph and loss rate estimation applied to urban catchments, 31(2): 111-123, 1993.
- Chittaranjan, S.**
see **Rama Mohan Rao, M. S.**
- Close, M. E.,**
with **Tod, J. L. and Tod, G. J.**
 - Effect of recharge variations on regional groundwater quality in Mid-Canterbury, New Zealand, 33(1): 1-16, 1995.
- Coker, R. J.,**
and **Fahey, B. D.**
 - Road-related mass movement in weathered granite, Golden Downs and Motueka forests, New Zealand: A note, 31(1): 65-69, 1993.
with **Fahey, B. D. and Payne, J. J.**
 - Fine sediment production from truck traffic, Queen Charlotte Forest, Marlborough Sounds, New Zealand, 31(1): 56-64, 1993.
- Davies, T. R. H.**
 - Fallacies in flood hydrological design, 31(1): 73-77, 1993.
 - Physical model study of stage-discharge relationships in a gorge of a braided river, 35(2): 239-258, 1996.
see **Warburton, J.**
- Dravid, D.,**
with **Watt, J. P. C., Vincent, K. W. and Beanland, R.**
 - Current New Zealand irrigation policies: how relevant are they?, 34(2): 63-71, 1995.
- Duncan, M. J.**
 - Hydrological impacts of converting pasture and gorse to pine plantation, and forest harvesting, Nelson, New Zealand, 34(1): 15-41, 1995.
- Elsenbeer, H.,**
with **Cassel, D. K. and Zuniga, L.**
 - Throughfall in the Terra Firme Forest of Western Amazonia, 32(2): 30-44, 1994.

- Fahey, B. D.**,
 with **Murray, D. L. and Jackson, R. M.**
 - Detecting fog deposition to tussock by lysimetry at Swampy Summit near Dunedin, New Zealand, 35(1): 87-104, 1996.
see **Coker, R. J.**
- Fenemor, A.**
 - US experience with transferable water permits, 33(2): 130-134, 1995.
- Gray, W. R.**
and **Austin, G. L.**
 - Rainfall estimation by radar for the Otaki catchment: the OPERA pilot study, 31(2): 91-110, 1993.
- Griffiths, G. A.**
and **Pearson, C. P.**
 - Distribution of high intensity rainfalls in metropolitan Christchurch, New Zealand, 31(1): 5-22, 1993.
see **Bidwell, V. J.**
see **Warburton, J.**
- Hicks, D. L.**
 - A way to estimate the frequency of rainfall-induced mass movements (note), 33(1): 59-67, 1995.
- Hockey, J. Burn**
see **Hoey, T. B.**
- Hoey, T. B.**
 - Patterns of sediment storage in the Kowai River, Torlesse Range, New Zealand, 32(1): 1-15, 1994.
 - Sediment dispersion and duration of storage in a model braided river, 35(2): 213-237, 1996.
and **J. Burn Hockey**
 - Relative bed-material discharges at a mountain stream confluence using a natural sediment tracer, 32(1): 16-28, 1994.
see **Warburton, J.**
- Hunt, J. E.**
see **Kelliher, F. M.**
- Jackson, R. M.**
see **Fahey, B. D.**
- Kelliher, F. M.**,
 with **Marden, M., Watson, A. J. and Arulchelvam, I. M.**
 - Estimating the risk of landsliding using historical extreme river flood data (note), 33(2): 123-129, 1995.

with Owens, I. F., Sturman, A. P., Byers, J. N., Hunt, J. E. and McSeveny, T. M.

- Radiation and ablation on the neve of Franz Josef Glacier, 35(1): 131-150, 1996.

Larsen, S. H.

see Painter, D. J.

McKerchar, A. I.

and Pearson, C. P.

- Forecasts of seasonal river flows using southern oscillation index, 32(2): 16-29, 1994.

McSeveny, T. M.

see Kelliher, F. M.

Marden, M.

see Kelliher, F. M.

Milke, M. W.

- Environmental planning in New Zealand (P.A. Memnon and H.C. Perkins *eds.*), 31(2): 124-126, 1993.
- Technologies for environmental clean-up: soil and groundwater, 32(1): 45-46, 1994.

Murray, D. L.

see Fahey, B. D.

Nobes, D. C.

- Effects of scale on archaeological and geoscientific perspectives (Julie K. Stein and Angela R. Linse *eds.*), 32(1): 44-45, 1994.

Oplatka, M.

and Sutherland, A.

- Tests on willow poles used for river bank protection, 33(1): 35-58, 1995.

Owens, I. F.

see Kelliher, F. M.

Padmaiah, M.

see Rama Mohan Rao, M. S.

Painter, D. J.

and Larsen, S. H.

- Effects of season and weather patterns on flood frequency: Hakataramea River, New Zealand, 34(2): 111-128, 1995.

Pang, L.

- Contamination of groundwater in the Te Aroha area by heavy metals from an abandoned mine, 33(1): 17-34, 1995.

Payne, J. J.

see Coker, R. J.

- Peakall, J.**
and **Warburton, J.**
 - Surface tension in small hydraulic river models - the significance of the Weber number, 35(2): 199-212, 1996.
- Pearson, C. P.**
 - Regional frequency analysis of low flows in New Zealand rivers, 33(2): 94-122, 1995.
see **Griffiths, G. A.**
see **McKerchar, A. I.**
- Pickrill, R. A.**
 - Sediment yields in Fiordland, 31(1): 39-55, 1993.
- Porteous, A.**
see **Barringer, J. R. F.**
- Rama Mohan Rao, M. S.,**
with **Adhikari, R. N., Chittaranjan, S., Chandrappa, M. and Padmaiah, M.**
 - Influence of conservation measures on water yield from catchments in the semi-arid tract of South India, 31(1): 23-38, 1993.
- Reinfelds, I.**
 - Evidence for high magnitude floods along the Waimakariri River, South Island, New Zealand, 34(2): 95-110, 1995.
- Rosen, M. R.**
 - Hydrogeology, water quality, and nitrate movement in the unconfined gravel aquifer beneath the Maraekakaho sheep feedlot, Hawke's Bay, New Zealand, 35(1): 29-49, 1996.
- Salinger, M. J.**
see **Barringer, J. R. F.**
- Sefe, F. T. K.**
 - Model parameter values and hydrological homogeneity: a study of three rivers in Botswana, 35(1): 105-122, 1996.
- Sturman, A. P.**
see **Kelliher, F. M.**
- Sutherland, A.**
see **Oplatka, M.**
- Thompson, C. S.**
and **Tomlinson, A. I.**
 - Probable maximum precipitation in New Zealand for small areas and short duration, 31(2): 78-90, 1993.
- Tod, G. J.**
see **Close, M. E.**

Tod, J. L.

see Close, M. E.

Tomlinson, A. I.

see Thompson, C. S.

Trangmar, B. B.

see Barringer, J. R. F.

Vincent, K. W.

see Dravid, D.

Warburton, J.

- Dynamics of gravel bed rivers (Billi, P., Hey, R.D., Thorne, C.D. and Tacconi, P. *eds.*), 31(2): 126-128, 1993.

- Hydraulic modelling of braided gravel-bed rivers, 35(2): 153-156, 1996.

- A brief review of hydraulic modelling of braided gravel-bed rivers in New Zealand, 35(2): 157-173, 1996.

- Active bedplain width, bed load transport and channel morphology in a model braided river, 35(2): 259-285, 1996.

with **Davies, T. R. H., Griffiths, G. A., Hoey, T. B., Young, W. J.**

- Future prospects for the use of hydraulic models in the management of New Zealand braided gravel-bed rivers, 35(2): 287-302, 1996.

see Peakall, J.

see Young, W. J.

Watson, A. J.

see Kelliher, F. M.

Watt, J. P. C.

with **Vincent, K. W., and Dravid, D.**

- Improving irrigation policies: designer irrigation consents and soil hydraulic properties, 34(2): 73-88, 1995.

see Dravid, D.

Williman, E. B.

- Flood frequency analysis for the Wairau River, Marlborough, 33(2): 71-93, 1995.

Wo, Y. G.

and **Healy, T. R.**

- Degradation of the lower Waikato River: an analysis of the gauging data, 32(1): 29-43, 1994.

Woods, R.

and **Rowe, L.**

- The changing spatial variability of subsurface flow across a hillside, 35(1): 51-86, 1996.

Young, W. J.

and **Warburton, J.**

- Principles and practice of hydraulic modelling of braided gravel-bed rivers, 35(2): 175-198, 1996.

see **Warburton, J.**

Zuniga, L.

see **Elsenbeer, H.**

Subject Index

Hydrological Subject Index

Basins and Catchments

Chapman, T. G. New methods of unitgraph and loss rate estimation applied to urban catchments, 31(2): 111-123, 1993.

Gray, W. R. and Austin G. L. Rainfall estimation by radar for the Otaki catchment: the OPERA pilot study, 31(2): 91-110, 1993.

Griffiths, G. A. and Pearson C. P. Distribution of high intensity rainfalls in metropolitan Christchurch, New Zealand, 31(1): 5-22, 1993.

Rama Mohan Rao, M. S., Adhikari, S. et al. Influence of conservation measures on water yield from catchments in the semi-arid tract of South India, 31(1): 23-38, 1993.

Sefe, F. T. K. Model parameter values and hydrological homogeneity: a study of three rivers in Botswana, 35(1): 105-122, 1996.

Chemistry

Milke, M. W. Technologies for environmental clean-up: soil and groundwater, 32(1): 45-46, 1994.

Rosen, M. R. Hydrogeology, water quality, and nitrate movement in the unconfined gravel aquifer beneath the Maraekakaho sheep feedlot, Hawke's Bay, New Zealand, 35(1): 29-49, 1996.

Environment

Milke, M. W. Environmental planning in New Zealand (P.A. Memnon and H.C. Perkins eds.), 31(2): 124-126, 1993.

Milke, M. W. Technologies for environmental clean-up: soil and groundwater, 32(1): 45-46, 1994.

Watt, J. P. C., Vincent, K. W. *et al.* Improving irrigation policies: designer irrigation consents and soil hydraulic properties, 34(2): 73-88, 1995.

Erosion and Sedimentation

Coker, R. J. and Fahey, B. D. Road-related mass movement in weathered granite, Golden Downs and Motueka forests, New Zealand: A note, 31(1): 65-69, 1993.

Coker, R. J., Fahey, B. D. *et al.* Fine sediment production from truck traffic, Queen Charlotte Forest, Marlborough Sounds, New Zealand, 31(1): 56-64, 1993.

Oplatka, M. and Sutherland, A. Tests on willow poles used for river bank protection, 33(1): 35-58, 1995.

Reinfelds, I. Evidence for high magnitude floods along the Waimakariri River, South Island, New Zealand, 34(2): 95-110, 1995.

Floods

Kelliher, F. M., Marden, M. *et al.* Estimating the risk of landsliding using historical extreme river flood data (note), 33(2): 123-129, 1995.

Painter, D. J. and Larsen, S. H. Effects of season and weather patterns on flood frequency: Hakataramea River, New Zealand, 34(2): 111-128, 1995.

Reinfelds, I. Evidence for high magnitude floods along the Waimakariri River, South Island, New Zealand, 34(2): 95-110, 1995.

Sefe, F. T. K. Model parameter values and hydrological homogeneity: a study of three rivers in Botswana, 35(1): 105-122, 1996.

Williman, E. B. Flood frequency analysis for the Wairau River, Marlborough, 33(2): 71-93, 1995.

Geology

Bal, A. A. Valley fills and coastal cliffs buried beneath an alluvium plain: evidence from variation of permeabilities in gravel aquifers, Canterbury Plains, New Zealand, 35(1): 1-27, 1996.

Coker, R. J. and Fahey, B. D. Road-related mass movement in weathered granite, Golden Downs and Motueka forests, New Zealand: A note, 31(1): 65-69, 1993.

Hicks, D. L. A way to estimate the frequency of rainfall-induced mass movements (note), 33(1): 59-67, 1995.

- Kelliher, F. M., Marden, M. et al.** Estimating the risk of landsliding using historical extreme river flood data (note), 33(2): 123-129, 1995.
- Nobes, D. C.** Effects of scale on archaeological and geoscientific perspectives (Julie K. Stein and Angela R. Linse *eds.*), 32(1): 44-45, 1994.
- Rosen, M. R.** Hydrogeology, water quality, and nitrate movement in the unconfined gravel aquifer beneath the Maraekakaho sheep feedlot, Hawke's Bay, New Zealand, 35(1): 29-49, 1996.

Glaciology

- Kelliher, F. M., Owens, I. F. et al.** Radiation and ablation on the neve of Franz Josef Glacier, 35(1): 131-150, 1996.

Groundwater

- Bal, A. A.** Valley fills and coastal cliffs buried beneath an alluvium plain: evidence from variation of permeabilities in gravel aquifers, Canterbury Plains, New Zealand, 35(1): 1-27, 1996.
- Bardsley, W. E.** Using groundwater for hydro electric power generation, 34(1): 1-14, 1995.
- Bardsley, W. E. and Campbell, D. I.** Water loading: a neglected factor in the analysis of piezometric time series from confined aquifers (note), 34(2): 89-93, 1995.
- Close, M. E., Tod, J. L. et al.** Effect of recharge variations on regional groundwater quality in Mid-Canterbury, New Zealand, 33(1): 1-16, 1995.
- Milke, M. W.** Technologies for environmental clean-up: soil and groundwater, 32(1): 45-46, 1994.
- Pang, L.** Contamination of groundwater in the Te Aroha area by heavy metals from an abandoned mine, 33(1): 17-34, 1995.
- Rama Mohan Rao, Adhikari, M. S. et al.** Influence of conservation measures on water yield from catchments in the semi-arid tract of South India, 31(1): 23-38, 1993.
- Rosen, M. R.** Hydrogeology, water quality, and nitrate movement in the unconfined gravel aquifer beneath the Maraekakaho sheep feedlot, Hawke's Bay, New Zealand, 35(1): 29-49, 1996.
- Watt, J. P. C., Vincent, K. W. et al.** Improving irrigation policies: designer irrigation consents and soil hydraulic properties, 34(2): 73-88, 1995.

Instrumentation and Measurement Techniques

- Buchan, G. D.** The IH capacitance probe for measurement of soil water content: Review (T J Dean), 34(2): 129-131, 1995.

Interception

- Elsenbeer, H., Cassel, D. K. et al.** Throughfall in the Terra Firme Forest of Western Amazonia, 32(2): 30-44, 1994.

Land Use

- Coker, R. J., Fahey, B. D. et al.** Fine sediment production from truck traffic, Queen Charlotte Forest, Marlborough Sounds, New Zealand, 31(1): 56-64, 1993.
- Duncan, M. J.** Hydrological impacts of converting pasture and gorse to pine plantation, and forest harvesting, Nelson, New Zealand, 34(1): 15-41, 1995.
- Kelliher, F. M., Marden, M. et al.** Estimating the risk of landsliding using historical extreme river flood data (note), 33(2): 123-129, 1995.
- Rama Mohan Rao, M. S., Adhikari, S. et al.** Influence of conservation measures on water yield from catchments in the semi-arid tract of South India, 31(1): 23-38, 1993.

Limnology

- Carter, G. S.** Interaction of surface seiche and recording frequency in lake levels (note), 35(1): 123-130, 1996.

Meteorology

- Gray, W. R. and Austin, G. L.** Rainfall estimation by radar for the Otaki catchment: the OPERA pilot study, 31(2): 91-110, 1993.
- McKerchar, A. I. and Pearson, C. P.** Forecasts of seasonal river flows using southern oscillation index, 32(2): 16-29, 1994.
- Painter, D. J. and Larsen, S. H.** Effects of season and weather patterns on flood frequency: Hakataramea River, New Zealand, 34(2): 111-128, 1995.

Modelling

- Bardsley, W. E. and Campbell, D. I.** Water loading: a neglected factor in the analysis of piezometric time series from confined aquifers (note), 34(2): 89-93, 1995.
- Barringer, J. R. F., Porteous, A. et al.** Estimating spatial patterns of wilting point deficit using a water balance model and a geographic information system, 34(1): 42-59, 1995.
- Bidwell, V. J. and Griffiths, G. A.** Adaptive flood forecasting: an application to the Waimakariri River, 32(2): 1-15, 1994.
- Carter, G. S.** Interaction of surface seiche and recording frequency in lake levels (note), 35(1): 123-130, 1996.
- Chapman, T. G.** New methods of unitgraph and loss rate estimation applied to urban catchments, 31(2): 111-123, 1993.
- Davies, T. R.** Physical model study of stage-discharge relationships in a gorge of a braided river, 35(2): 239-258, 1996.
- Griffiths, G. A. and Pearson, C. P.** Distribution of high intensity rainfalls in metropolitan Christchurch, New Zealand, 31(1): 5-22, 1993.
- Hicks, D. L.** A way to estimate the frequency of rainfall-induced mass movements (note), 33(1): 59-67, 1995.
- Painter, D. J. and Larsen, S. H.** Effects of season and weather patterns on flood frequency: Hakataramea River, New Zealand, 34(2): 111-128, 1995.
- Peakall, J. and Warburton, J.** Surface tension in small hydraulic river models - the significance of the Weber number, 35(2): 199-212, 1996.
- Pearson, C. P.** Regional frequency analysis of low flows in New Zealand rivers, 33(2): 94-122, 1995.
- Sefe, F. T. K.** Model parameter values and hydrological homogeneity: a study of three rivers in Botswana, 35(1): 105-122, 1996.
- Thompson, C. S. and Tomlinson, A.I.** Probable maximum precipitation in New Zealand for small areas and short duration, 31(2): 78-90, 1993.
- Warburton, J.** Active bedplain width, bed load transport and channel morphology in a model braided river, 35(2): 259-285, 1996.
- Warburton, J.** A brief review of hydraulic modelling of braided gravel-bed rivers in New Zealand, 35(2): 157-173, 1996.
- Warburton, J., Davies, T. R. H. et al.** Future prospects for the use of hydraulic models in the management of New Zealand braided gravel-bed rivers, 35(2): 287-302, 1996.

- Woods, R. and Rowe, L.** The changing spatial variability of subsurface flow across a hillside, 35(1): 51-86, 1996.
- Young, W. J. and Warburton, J.** Principles and practice of hydraulic modelling of braided gravel-bed rivers, 35(2): 175-198, 1996.

Precipitation

- Bidwell, V. J. and Griffiths, G.A.** Adaptive flood forecasting: an application to the Waimakariri River, 32(2): 1-15, 1994.
- Elsenbeer, H., Cassel, D. K. et al.** Throughfall in the Terra Firme Forest of Western Amazonia, 32(2): 30-44, 1994.
- Gray, W. R. and Austin, G. L.** Rainfall estimation by radar for the Otaki catchment: the OPERA pilot study, 31(2): 91-110, 1993.
- Griffiths, G. A. and Pearson, C. P.** Distribution of high intensity rainfalls in metropolitan Christchurch, New Zealand, 31(1): 5-22, 1993.
- Thompson, C. S. and Tomlinson, A. I.** Probable maximum precipitation in New Zealand for small areas and short duration, 31(2): 78-90, 1993.

Resource Management

- Bardsley, W. E.** Using groundwater for hydro electric power generation, 34(1): 1-14, 1995.
- Dravid, D., Watt, J. et al.** Current New Zealand irrigation policies: How relevant are they?, 34(2): 63-71, 1995.
- Fenemor, A.** US experience with transferable water permits, 33(2): 130-134, 1995.
- Milke, M. W.** Environmental planning in New Zealand (P.A. Memnon and H.C. Perkins *eds.*), 31(2): 124-126, 1993.
- Warburton, J., Davies, T. R. H. et al.** Future prospects for the use of hydraulic models in the management of New Zealand braided gravel-bed rivers, 35(2): 287-302, 1996.
- Watt, J. P. C., Vincent, K. W. et al.** Improving irrigation policies: designer irrigation consents and soil hydraulic properties, 34(2): 73-88, 1995.

River Morphology and Hydraulics

- Hoey, T. B.** Patterns of sediment storage in the Kowai River, Torlesse Range, New Zealand, 32(1): 1-15, 1994.
- Warburton, J.** Dynamics of gravel bed rivers (Billi, P., Hey, R.D., Thorne, C.D. and Tacconi, P. *eds.*), 31(2): 126-128, 1993.

- Warburton, J.** A brief review of hydraulic modelling of braided gravel-bed rivers in New Zealand, 35(2): 157-173, 1996.
- Warburton, J.** Hydraulic modelling of braided gravel-bed rivers, 35(2): 153-156, 1996.
- Wo, Y. G. and Healy, T. R.** Degradation of the lower Waikato River: an analysis of the gauging data, 32(1): 29-43, 1994.

Rivers and Streams

- Bidwell, V. J. and Griffiths, G. A.** Adaptive flood forecasting: an application to the Waimakariri River, 32(2): 1-15, 1994.
- Davies, T. R.** Physical model study of stage-discharge relationships in a gorge of a braided river, 35(2): 239-258, 1996.
- Hoey, T. B.** Sediment dispersion and duration of storage in a model braided river, 35(2): 213-237, 1996.
- McKerchar, A. I. and Pearson, C. P.** Forecasts of seasonal river flows using southern oscillation index, 32(2): 16-29, 1994.
- Painter, D. J. and Larsen, S. H.** Effects of season and weather patterns on flood frequency: Hakataramea River, New Zealand, 34(2): 111-128, 1995.
- Peakall, J. and Warburton, J.** Surface tension in small hydraulic river models - the significance of the Weber number, 35(2): 199-212, 1996.
- Pearson, C. P.** Regional frequency analysis of low flows in New Zealand rivers, 33(2): 94-122, 1995.
- Reinfelds, I.** Evidence for high magnitude floods along the Waimakariri River, South Island, New Zealand, 34(2): 95-110, 1995.
- Sefe, F. T. K.** Model parameter values and hydrological homogeneity: a study of three rivers in Botswana, 35(1): 105-122, 1996.
- Warburton, J.** Active bedplain width, bed load transport and channel morphology in a model braided river, 35(2): 259-285, 1996.
- Warburton, J.** A brief review of hydraulic modelling of braided gravel-bed rivers in New Zealand, 35(2): 157-173, 1996.
- Warburton, J., Davies, T. R. et al.** Future prospects for the use of hydraulic models in the management of New Zealand braided gravel-bed rivers, 35(2): 287-302, 1996.
- Williman, E. B.** Flood frequency analysis for the Wairau River, Marlborough, 33(2): 71-93, 1995.
- Wo, Y. G. and Healy, T. R.** Degradation of the lower Waikato River: an analysis of the gauging data, 32(1): 29-43, 1994.
- Young, W. J. and Warburton, J.** Principles and practice of hydraulic modelling of braided gravel-bed rivers, 35(2): 175-198, 1996.

Runoff and Streamflow

- Duncan, M. J.** Hydrological impacts of converting pasture and gorse to pine plantation, and forest harvesting, Nelson, New Zealand, 34(1): 15-41, 1995.
- Rama Mohan Rao, M. S., Adhikari, S. et al.** Influence of conservation measures on water yield from catchments in the semi-arid tract of South India, 31(1): 23-38, 1993.
- Woods, R. and Rowe, L.** The changing spatial variability of subsurface flow across a hillside, 35(1): 51-86, 1996.

Sediment Transport

- Coker, R. J. and Fahey, B. D.** Road-related mass movement in weathered granite, Golden Downs and Motueka forests, New Zealand: A note, 31(1): 65-69, 1993.
- Coker, R. J., Fahey, B. D. et al.** Fine sediment production from truck traffic, Queen Charlotte Forest, Marlborough Sounds, New Zealand, 31(1): 56-64, 1993.
- Hoey, T. B.** Sediment dispersion and duration of storage in a model braided river, 35(2): 213-237, 1996.
- Hoey, T. B. and Hockey, J. Burn.** Relative bed-material discharges at a mountain stream confluence using a natural sediment tracer, 32(1): 16-28, 1994.
- Oplatka, M. and Sutherland, A.** Tests on willow poles used for river bank protection, 33(1): 35-58, 1995.
- Pickrill, R. A.** Sediment yields in Fiordland, 31(1): 39-55, 1993.
- Reinfelds, I.** Evidence for high magnitude floods along the Waimakariri River, South Island, New Zealand, 34(2): 95-110, 1995.
- Warburton, J.** Dynamics of gravel bed rivers (Billi, P., Hey, R.D., Thorne, C.D. and Tacconi, P. eds.), 31(2): 126-128, 1993.
- Warburton, J.** Active bedplain width, bed load transport and channel morphology in a model braided river, 35(2): 259-285, 1996.

Soil Moisture

- Rama Mohan Rao, M. S., Adhikari, S. et al.** Influence of conservation measures on water yield from catchments in the semi-arid tract of South India, 31(1): 23-38, 1993.
- Woods, R. and Rowe, L.** The changing spatial variability of subsurface flow across a hillside, 35(1): 51-86, 1996.

Water Balance

- Barringer, J. R. F., Porteous, A. *et al.*** Estimating spatial patterns of wilting point deficit using a water balance model and a geographic information system, 34(1): 42-59, 1996.
- Fahey, B. D., Murray, D. L. *et al.*** Detecting fog deposition to tussock by lysimetry at Swampy Summit near Dunedin, New Zealand, 35(1): 87-104, 1996.

Water Quality

- Close, M. E., Tod, J. L. *et al.*** Effect of recharge variations on regional groundwater quality in Mid-Canterbury, New Zealand, 33(1): 1-16, 1995.
- Pang, L.** Contamination of groundwater in the Te Aroha area by heavy metals from an abandoned mine, 33(1): 17-34, 1995.
- Rosen, M. R.** Hydrogeology, water quality, and nitrate movement in the unconfined gravel aquifer beneath the Maraekakaho sheep feedlot, Hawke's Bay, New Zealand, 35(1): 29-49, 1996.

Vegetation

- Duncan, M. J.** Hydrological impacts of converting pasture and gorse to pine plantation, and forest harvesting, Nelson, New Zealand, 34(1): 15-41, 1995.
- Fahey, B. D., Murray, D. L. *et al.*** Detecting fog deposition to tussock by lysimetry at Swampy Summit near Dunedin, New Zealand, 35(1): 87-104, 1996.
- Oplatka, M. and Sutherland, A.** Tests on willow poles used for river bank protection, 33(1): 35-58, 1995.

Geographic Location Index

Africa

- Sefe, F. T. K.** Model parameter values and hydrological homogeneity: a study of three rivers in Botswana, 35(1): 105-122, 1996.

Auckland

- Chapman, T. G.** New methods of unitgraph and loss rate estimation applied to urban catchments, 31(2): 111-123, 1993.

Canterbury

- Bal, A. A.** Valley fills and coastal cliffs buried beneath an alluvium plain: evidence from variation of permeabilities in gravel aquifers, Canterbury Plains, New Zealand, 35(1): 1-27, 1996.
- Barringer, J. R. F., Porteous, A. et al.** Estimating spatial patterns of wilting point deficit using a water balance model and a geographic information system, 34(1): 42-59, 1995.
- Bidwell, V. J. and Griffiths, G.A.** Adaptive flood forecasting: an application to the Waimakariri River, 32(2): 1-15, 1994.
- Close, M. E., Tod, J. L. et al.** Effect of recharge variations on regional groundwater quality in Mid-Canterbury, New Zealand, 33(1): 1-16, 1995.
- Davies, T. R.** Physical model study of stage-discharge relationships in a gorge of a braided river, 35(2): 239-258, 1996.
- Griffiths, G. A. and Pearson, C. P.** Distribution of high intensity rainfalls in metropolitan Christchurch, New Zealand, 31(1): 5-22, 1993.
- Hoey, T. B.** Patterns of sediment storage in the Kowai River, Torlesse Range, New Zealand, 32(1): 1-15, 1994.
- Hoey, T. B. and Hockey, J. Burn.** Relative bed-material discharges at a mountain stream confluence using a natural sediment tracer, 32(1): 16-28, 1994.
- Oplatka, M. and Sutherland, A.** Tests on willow poles used for river bank protection, 33(1): 35-58, 1995.
- Reinfelds, I.** Evidence for high magnitude floods along the Waimakariri River, South Island, New Zealand, 34(2): 95-110, 1995.

East Coast

- Kelliher, F. M., Marden, M. et al.** Estimating the risk of landsliding using historical extreme river flood data (note), 33(2): 123-129, 1995.

Hawkes Bay

- Watt, J. P. C., Vincent, K. W. et al.** Improving irrigation policies: designer irrigation consents and soil hydraulic properties, 34(2): 73-88, 1995.

Nelson

Coker, R. J. and Fahey, B. D. Road-related mass movement in weathered granite, Golden Downs and Motueka forests, New Zealand: A note, 31(1): 65-69, 1993.

Duncan, M. J. Hydrological impacts of converting pasture and gorse to pine plantation, and forest harvesting, Nelson, New Zealand, 34(1): 15-41, 1995.

Otago

Fahey, B. D., Murray, D. L. et al. Detecting fog deposition to tussock by lysimetry at Swampy Summit near Dunedin, New Zealand, 35(1): 87-104, 1996.

Painter, D. J. and Larsen, S. H. Effects of season and weather patterns on flood frequency: Hakataramea River, New Zealand, 4(2): 111-128, 1995.

United States of America

Fenemor, A. US experience with transferable water permits, 33(2): 130-134, 1995.

Waikato

Pang, L. Contamination of groundwater in the Te Aroha area by heavy metals from an abandoned mine, 33(1): 17-34, 1995.

Wo, Y. G. and T. R. Healy, T. R. Degradation of the lower Waikato River: an analysis of the gauging data, 32(1): 29-43, 1994.

Wellington

Gray, W. R. and Austin G. L. Rainfall estimation by radar for the Otaki catchment: the OPERA pilot study, 31(2): 91-110, 1993.

West Coast, South Island

Pickrill, R. A. Sediment yields in Fiordland, 31(1): 39-55, 1993.

Woods, R. and Rowe, L. The changing spatial variability of subsurface flow across a hillside, 35(1): 51-86, 1996.

Affiliated Articles Index

Book Reviews

- Milke, M. W.** Environmental planning in New Zealand (P.A. Memnon and H.C. Perkins *eds.*), 31(2): 124-126, 1993.
- Milke, M. W.** Technologies for environmental clean-up: soil and groundwater, 32(1): 45-46, 1994.
- Nobes, D. C.** Effects of scale on archaeological and geoscientific perspectives (Julie K. Stein and Angela R. Linse *eds.*), 32(1): 44-45, 1994.
- Warburton, J.** Dynamics of gravel bed rivers (Billi, P., Hey, R.D., Thorne, C.D. and Tacconi, P. *eds.*), 31(2): 126-128, 1993.

Editorials

- Bardsley, D. E.** A moribund science? 31(1): 1-4, 1993.
- Davies, T. R.** Fallacies in flood hydrological design, 31(1): 73-77, 1993.
- Dravid, D., Watt, J. et al.** Current New Zealand irrigation policies: How relevant are they?, 34(2): 63-71, 1995.

Technical Notes

- Buchan, G. D.** The IH capacitance probe for measurement of soil water content: Review (T J Dean), 34(2): 129-131, 1995.